

SAFETY DATA SHEET

ACP-234 Heavy Duty Degreaser

Date 9-18-15

1. PRODUCT AND COMPANY IDENTIFICATION

Product Identifier

Product Name Heavy Duty Degreaser

Other Means of Identification

Product Code ACP-234

X234

Recommended Use of the Chemical and Restrictions on Use

Recommended Use Heavy duty degreaser/cleaner/heavy duty multi-purpose cleaner

Details of the Supplier of the Safety Data Sheet

Manufacturer Address Arrow Chemical Products, Inc.

2067 Sainte. Anne St. Detroit, Michigan 48216

Emergency Telephone Number

Company Phone Number 313-237-0277

Emergency Telephone INFOTRAC 1-352-323-3500 (International)

1-800-535-5053 (North America)

2. HAZARDS IDENTIFICATION

Classification

| Skin Corrosion/Irritation | Category 1 Sub-category B |
|-----------------------------------|---------------------------|
| Serious Eye Damage/Eye Irritation | Category 1 |

Signal Word WARNING

Hazard Statements

Causes skin irritation Causes eye irritation Harmful if swallowed May be harmful if inhaled May cause respiratory irritation May cause drowsiness or dizziness



Appearance Purple liquid Physical State Liquid Odor Detergent

Precautionary Statements - Prevention

Do not handle until all safety precautions have been read and understood

Wear impervious gloves and clothing when handling. Wear safety goggles.

Wash face, hands and any exposed skin thoroughly after handling

Do not eat, drink or smoke when using this product

Do not breathe mist/vapors/spray

Use only in well ventilated areas

Do not ingest.

Precautionary Statements - Response

Immediately call a POISON CENTER or doctor/physician.

IF IN EYES: Rinse cautiously with water for several minutes. Remove contact lenses, if present and easy to do. Continue rinsing. **IF ON SKIN:** Remove/Take off immediately all contaminated clothing. Rinse skin with water for several minutes. If irritation occurs seek medical attention. Wash contaminated clothing before reuse

IF INHALED: Remove victim to fresh air and keep at rest in a position comfortable for breathing

Immediately call a physician if irritation occurs.

IF SWALLOWED: Immediately call local poison control center or physician for treatment advice. Rinse mouth.

Precautionary Statements - Storage

Store in a cool dry place. Keep containers tightly closed in upright position to prevent leakage.

Precautionary Statements - Disposal

Dispose of contents/container to an approved waste disposal plant

3. COMPOSITION/INFORMATION ON INGREDIENTS

| Chemical Name | CAS No | Weight-% |
|------------------------|-----------|----------|
| 2-Butoxyethanol | 111-76-2 | 10 - 20 |
| Sodium metasilicate | 6834-92-0 | 0 - 10 |
| Sodium xylenesulfonate | 1300-72-7 | 0 - 10 |
| Sodium hydroxide | 1310-73-2 | 0 - 10 |

The specific identity and/or exact percentages are being withheld a trade secret. The balance of ingredients are not hazardous by GHS.

4. FIRST AID MEASURES

First Aid Measures

Inhalation Remove victim to fresh air and keep at rest in a position comfortable for breathing. Seek

immediate medical attention if irritation occurs.

Eye Contact Rinse cautiously with water for several minutes. Remove contact lenses, if present and

easy to do. Continue rinsing. Seek medical attention if irritation occurs.

Ingestion Rinse mouth. Call local poison control center or physician for treatment advice. .

Skin Contact Remove/Take off immediately all contaminated clothing. Flush skin with water for several

minutes. Seek medical attention if irritation occurs.

Indication of any Immediate Medical Attention and Special Treatment Needed

Note to Physicians Treat symptomatically.

5. FIRE-FIGHTING MEASURES

Suitable Extinguishing MediaUse dry chemical, water spray, fog or foam.

Unsuitable Extinguishing Media None known.

Specific Hazards Arising from the Chemical

None known.

Protective Equipment and Precautions for Firefighters

As in any fire, wear self-contained breathing apparatus pressure-demand, MSHA/NIOSH (approved or equivalent) and full protective gear.

6. ACCIDENTAL RELEASE MEASURES

Personal Precautions, Protective Equipment and Emergency Procedures

Personal PrecautionsUse personal protective equipment as required.

Methods and Material for Containment and Cleaning Up

Methods for Containment Prevent further leakage or spillage if safe to do so. Collect using an inert absorbent material

and place in appropriate containers for disposal. Prevent entry into waterways, sewer,

basements or confined areas.

Methods for Cleaning Up Keep in suitable, closed containers for disposal.

7. HANDLING AND STORAGE

<u>Precautions for Safe Handling</u> Read entire safety data sheet and label before use.

Advice on Safe Handling Do not handle until all safety precautions have been read and understood. Use personal

protective equipment as required. Wash face, hands and any exposed skin thoroughly after

handling. Do not eat, drink or smoke when using this product. Do not breathe

mist/vapors/spray. Use in well-ventilated areas.

Conditions for Safe Storage, Including any Incompatibilities

Storage Conditions Store in a cool, dry place. Keep containers tightly closed and in upright position to prevent

leakage. KEEP OUT OF THE REACH OF CHILDREN.

Incompatible Materials Strong acids. Oxidizers.

8. EXPOSURE CONTROLS/PERSONAL PROTECTION

Exposure Guidelines

| Chemical Name | ACGIH TLV | OSHA PEL | NIOSH IDLH |
|-------------------------------|------------------------------|------------------------------|------------------------------|
| 2-Butoxyethanol 111-76-2 | TWA: 20 ppm | TWA: 50 ppm | TWA: 5 ppm |
| Sodium metasilicate 6834-92-0 | 2 mg/m ³ | 2 mg/m ³ | - |
| Sodium hydroxide 1310-73-2 | Ceiling: 2 mg/m ³ | Ceiling: 2 mg/m ³ | Ceiling: 2 mg/m ³ |

Appropriate Engineering Controls

Engineering Controls Apply technical measures to comply with the occupational exposure limits.

Individual Protection Measures, such as Personal Protective Equipment

Eye/Face Protection Splash goggles or safety glasses. Face-shields are recommended when the task can

generate splashes, sprays or mists.

Skin and Body Protection Rubber or impervious gloves. Rubber boots. Rubber apron or other chemical proof clothing.

Respiratory Protection Ensure adequate ventilation, especially in confined areas.

General Hygiene Considerations Handle in accordance with good industrial hygiene and safety practice.

9. PHYSICAL AND CHEMICAL PROPERTIES

Information on Basic Physical and Chemical Properties

Physical State Liquid

AppearancePurple liquidOdorDetergentColorPurpleOdor ThresholdNot determined

<u>Property</u> <u>Values</u> <u>Remarks • Method</u>

pH 13.5-14.5

Melting Point/Freezing Point Not available Boiling Point/Boiling Range 212°F

Flash Point Product does not sustain combustion

Evaporation Rate 1 Water = 1

Flammability (Solid, Gas)
Upper Flammability Limits
Not determined
Not determined
Not determined
Not determined
Vapor Pressure
Vapor Density
Not determined

Specific Gravity 1.07

Water Solubility Soluble in water Solubility in Other Solvents Not determined

10. STABILITY AND REACTIVITY

Reactivity

Not reactive under normal conditions.

Chemical Stability

Stable under recommended storage conditions.

Possibility of Hazardous Reactions

None under normal processing.

Hazardous Polymerization Hazardous polymerization does not occur.

Conditions to Avoid

Keep out of reach of children.

Incompatible Materials

Strong acids. Oxidizers

Hazardous Decomposition Products

None known based on information supplied.

11. TOXICOLOGICAL INFORMATION

Information on Likely Routes of Exposure

Product Information

Inhalation Harmful by inhalation.

Eye Contact May cause severe eye damage.

Skin Contact Can be absorbed through the skin. May cause skin burns.

Ingestion Harmful if swallowed.

Component Information

| Chemical Name Oral LD50 | | Dermal LD50 | Inhalation LC50 | |
|----------------------------------|----------------------|--------------------------------------------|-------------------------------------------|--|
| 2-Butoxyethanol 111-76-2 | = 470 mg/kg(Rat) | = 2270 mg/kg (Rat) = 220 mg/kg (Rabbit) | = 2.21 mg/L(Rat)4 h = 450 ppm(Rat)4 h | |
| Sodium metasilicate 6834-92-0 | = 600 mg/kg (Rat) | - | - | |
| Sodium xylenesulfonate 1300-72-7 | = 7200 mg/kg (Rat) | - | - | |
| Sodium hydroxide 1310-73-2 | - | = 1350 mg/kg (Rabbit) | - | |

Information on Physical, Chemical and Toxicological Effects

Symptoms Burns, blisters, tissue destruction, drying or defatting of the skin. Mists and vapors cause

irritation of the eyes, mucous membranes, and upper respiratory tract.

Delayed and Immediate Effects as well as Chronic Effects from Short and Long-term Exposure

Carcinogenicity No components of this product present at levels greater than or equal to 0.1% is identified a

probable, possible or confirmed human carcinogen by IARC, ACGIH, OSHA, or NTP.

12. ECOLOGICAL INFORMATION

Ecotoxicity

| Chemical Name | Algae/aquatic plants | Fish | Toxicity to microorganisms | Crustacea |
|-------------------------------------|----------------------|-------------------------------------------------|----------------------------|-------------------------------------------|
| 2-Butoxyethanol | | LC50 Lepomis macrochirus 1490 mg/L 96 h | | EC50 Daphnia magna 1698 1940 mg/L 96 h |
| Sodium metasilicate 6834-92-0 | | LC50 Brachydanio rerio 210 mg/L 96 h | | EC50 Daphnia magna 1700 mg/L 48 h |
| Sodium hydroxide 1310-73-2 | | 45.4: 96 h Oncorhynchus mykiss mg/L LC50 static | | |
| Sodium Xylene Sulfonte 5989-27-5 | | LC50 Pimephales promelas 13500 – 14500 96h | | EC50: Daphnia magna 2564 mg/L 48 h |

Persistence and Degradability

Biodegradable

Bioaccumulation

Not determined

Mobility

Not determined

Other Adverse Effects

Not determined

13. DISPOSAL CONSIDERATIONS

Waste Treatment Methods

Disposal of WastesDisposal should be in accordance with applicable regional, national and local laws and

regulations.

Contaminated Packaging Disposal should be in accordance with applicable regional, national and local laws and

regulations.

14. TRANSPORT INFORMATION

Note Please see current shipping paper for most up to date shipping information, including

exemptions and special circumstances.

DOT Not Regulated

IATA Not Regulated

IMDG Not Regulated

15. REGULATORY INFORMATION

International Inventories

TSCA Listed

Legend:

TSCA - United States Toxic Substances Control Act Section 8(b) Inventory

DSL/NDSL - Canadian Domestic Substances List/Non-Domestic Substances List

EINECS/ELINCS - European Inventory of Existing Chemical Substances/European List of Notified Chemical Substances

US Federal Regulations

CERCLA Reportable Quantity

The following components are listed:

| Chemical Name | CAS Number | CERCLA RQ |
|------------------|------------|-----------|
| Sodium Hydroxide | 1310-73-2 | 1000 lbs. |

SARA 313

No ingredients of this product contain chemical (s) that are subject to reporting levels established by SARA Title III, Section 313.

US State Regulations

U.S. State Right-to-Know

Regulations

The following ingredients have been listed:

| Chemical Name | New Jersey | Massachusetts | Pennsylvania |
|------------------------|------------|---------------|--------------|
| 2-Butoxyethanol | X | X | X |
| 111-76-2 | | | |
| Sodium Metasilicate | X | X | X |
| 10213-79-3 | | | |
| Sodium Hydroxide | X | X | X |
| 1310-73-2 | | | |
| Sodium Xylene Sulfonte | | X | X |
| 5989-27-5 | | | |

| 1 | 16. | വ | ГΗ | FR |) IN | IFC | R | M | ΔΤ | IO | N | ı |
|---|-----|--------------|----|----|------|-----|-----|-----|----------|----|------|---|
| | U. | \mathbf{c} | | | | | ,,, | IVI | \sim 1 | ı | 4 10 | н |

| NFPA | Health Hazards | Flammability | Instability | Special Hazards |
|------|---------------------|--------------------------|------------------------|------------------------------------|
| HMIS | 2 Health Hazards | 0 Flammability | 0 Reactivity | Not determined Personal Protection |
| | 2 | 0 | 0 | В |

Disclaimer

The information provided in this Safety Data Sheet is correct to the best of our knowledge, information and belief at the date of its publication. The information given is designed only as a guidance for safe handling, use, processing, storage, transportation, disposal and release and is not to be considered a warranty or quality specification. The information relates only to the specific material designated and may not be valid for such material used in combination with any other materials or in any process, unless specified in the text.

End of Safety Data Sheet