
Ceros[®] XP250E Comfortable, premium safety helmet

It's time to expect more from your head protection. Engineered to raise industry standards in comfort and fit, the HexArmor® Ceros® family of safety helmets brings you a technologically advanced safety helmet for all workers, with configurations for any industry or application that require a Type I Class C and Class E safety helmet. Ceros® - for compliance without compromise.



Unique back-of-head coverage offers up to 17%* more protection from falling or deflected debris

> **Standards** ANSI Z89.1

CE EN397

Ceros[®] XP250E

Non-Vented Class E

- Type 1, Class E, LT
- Sizes 6 ³/₈ 8
- Helmet shell is fully enclosed, making it suitable for electrical work

Colors available:







16-13004







16-13001

16-13002

Yellow 16-13003

Orange 16-13005

Grey 16-13006

Black 16-13007





Ceros[®] XP250E Comfortable, premium safety helmet



enes Of

CULSEC II

AirBridge[®] suspension system

Pre-assembled into the safety helmet so you can unpack and start wearing immediately, saving you time and frustration

Straps are ultrasonically welded, eliminating the discomfort and weakness typical of traditional stitching

> SwiftLock™ one-hand-turn wheel ratchet is padded for comfort and easy size adjustment

Premium, moisture-resistant, removable sweatband that extends from ear-to-ear

> Standard six-point AirBridge[®] suspension system ensures optimal comfort and fit



Ceros[®] XP250E

Accessories

XP Click-and-Go[®] magnetic face shield kit 17-13001 Includes: Magnetic helmet adapter







- K2M earmuffs 17-17002
- 25 Decibel Noise Reduction Rating Compatible with mechanical face shield



ColdRush[®] cooling safety helmet insert 6003



XP AirBridge[®]

Face shield window

For use with both mechanical and

Click-and-Go® magnetic face shield

[¤]Warning: earmuffs are not dielectric

17-19001

17-27001

kit

Replacement Accessories

XP mechanical face shield kit 17-12001



K2C earmuffs^{^{II} (slot adapted)} 17-16001 25 Decibel Noise Reduction Rating



shield

K2M Magnet earmuffs 17-18002 24 Decibel Noise Reduction Rating Compatible with magnetic face



XP short brim HexShade® UV by SnapBrim[™] 17-50002

XP

sun glare/rain cover 17-22001 Includes: Mechanical helmet adapter For use with both mechanical and magnetic face shields



K1M earmuffs 17-17001 limited quantities available 22 Decibel Noise Reduction Rating Compatible with mechanical face shield



XP 4-point chin strap 17-11001



XP rain plug kit 17-24001



K1M magnet earmuffs 17-18001 limited quantities available 21 Decibel Noise Reduction Rating Compatible with magnetic face



XP goggle clip 17-21001



Reflective sticker set silver: 17-23001 hi-vis: 17-23002

17-20001

XP











Replacement pads available for lasting comfort and hygienic use



Earmuff hygiene kit type 1 Earmuff hygiene kit type 2 17-29001 Replacement pads available for lasting comfort and hygienic use





Call 1-877-MY ARMOR or visit hexarmor.com

Protective devices do not provide unlimited protection. Some operations may require machine guards, face shields, special filter lenses, or other safety equipment. Safety helmets do not provide complete protection against hazards, and should only be used in conjunction with the prescribed safety equipment for the application as well as defined safety practices

Engineered in Germany 💻 Assembled in USA 🌉





Click-and-Go[®] magnetic helmet adapter 17-26001 For use with the Click-and-Go® magnetic face shield for XP helmets



17-28001