



# SPECIFICATION SHEET

## 34-8443V



### MAXIFLEX® CUT™ BY ATG®, BLACK MICRO-FOAM NITRILE COATED

- The world standard for precision handling in dry environments
- CutTech technology to develop our own unique high performance yarns and fibers that offer cut protection
- Patented micro-foam nitrile coating offers 360° breathability
- Reinforcement between the thumb and forefinger, improves cut resistance and extends glove life
- Optimized grip delivered through our micro-cup finish
- Minimal penetration (strike through) leaving only the soft liner resting against the skin

### APPLICATIONS

- Gardening and DIY
- Finishing and inspection
- Handling of small oily parts and components
- Assembly and Maintenance
- Logistics and warehousing
- Wiring operations

### CARE INSTRUCTIONS

Recommend washing gloves in slightly warm water not exceeding 40°C. A mild non-ionic detergent should be used. A 5-10 minute cycle time should be employed. Tumble dry on low - maximum temperature 140°F (60°C)

### TECHNICAL DATA

MATERIAL	Seamless knit engineered yarn, micro-foam nitrile dot nitrile coating					
COLOR	Shell: <span style="color: green;">■</span> Green / Coating: <span style="color: black;">■</span> Black					
CUFF STYLE	Continuous Knit					
SIZES	XS - XXL					
PACKAGING	1 tri-folded pair per bag; 6 pair per pack; 12 packs per case (72 pair)					
CASE	19.7" x 11.6" x 7.9" / 50cm x 29.5cm x 20cm					
CASE WEIGHT	XS	S	M	L	XL	XXL
	8.3 lbs 3.75 kg	8.8 lbs 4 kg	9.5 lbs 4.3 kg	9.9 lbs 4.5 kg	10.25 lbs 4.65 kg	10.6 lbs 4.8 kg
COO	Sri Lanka					



### DIMENSIONS (in/cm)


	XS	S	M	L	XL	XXL
<b>A</b>	8 / 20.5	8.5 / 21.5	8.9 / 22.5	9.3 / 23.5	9.6 / 24.5	9.8 / 25.0
<b>B</b>	3.5 / 8.4	3.5 / 8.9	3.7 / 9.6	3.8 / 9.8	3.9 / 10	4 / 10.2
<b>H</b>	<span style="color: blue;">■</span> Blue	<span style="color: white;">■</span> White	<span style="color: green;">■</span> Green	<span style="color: brown;">■</span> Brown	<span style="color: yellow;">■</span> Yellow	<span style="color: grey;">■</span> Grey

### PERFORMANCE PROPERTIES

<b>EN388: 4331</b>	ASTM F1790-05 ANSI Cut Level 2					
ABRASION	0	1	2	3	4	5
CUT	0	1	2	3	4	5
TEAR	0	1	2	3	4	5
PUNCTURE	0	1	2	3	4	5

### BARCODES

ITEM	PAIR	PACK	CASE
<span style="color: green;">■</span> 34-8443V/XS	616314211010	01616314211019	02616314211018
<span style="color: green;">■</span> 34-8443V/S	01616314210999	01616314210999	02616314210998
<span style="color: green;">■</span> 34-8443V/M	616314210983	01616314210982	02616314210981
<span style="color: green;">■</span> 34-8443V/L	616314210976	01616314210975	02616314210974
<span style="color: green;">■</span> 34-8443V/XL	01616314211003	01616314211002	02616314211001
<span style="color: green;">■</span> 34-8443V/XXL	616314211027	01616314211026	02616314211025



**PROTECTIVE INDUSTRIAL PRODUCTS, INC. | BRINGING THE BEST OF THE WORLD TO YOU®**

AMERICAS: (800) 262-5755 • (518) 861-0133 | EUROPE: +34-96182-41-48 | AMEA: (ASIA, MIDDLE EAST, AFRICA) 852-2475-9228 | [www.pipglobal.com](http://www.pipglobal.com)

This document and the information contained herein is the property of Protective Industrial Products, Inc. (PIP) and may not be used or reproduced without permission. Product users should conduct all appropriate testing or other evaluations to determine the suitability of PIP products for a particular purpose or use within a particular environment. PIP DISCLAIMS ALL WARRANTIES OTHER THAN AS EXPRESSLY PROVIDED.