



Technical Data

Color	Navy, Gray, Tan
Sizes Available	2S-24R
Packaging	Bagged Each
Packed	20/Case
Case Dimensions (in)	17.32 x 12.60 x 17.32
Case Weight (lbs)	23.81
Country of Origin	China
Gender	Women
Clothing Type	Pants
Fabric	Cotton, Recycled Polyester, Spandex
Closure	Zipper
Total Pockets	7
Pocket Type	Rear Hip Pocket, Slash Pocket, Waist Pocket
Construction	Ripstop
Certifications	--
Product Circularity	Contains Recycled Materials Reusable / Launderable

Bisley® Women's Stretch Ripstop Vented Work Pants with X-Airflow™ Ventilation

- Women's fit
- Durable stretch ripstop fabric wicks moisture away from the skin, helping you to stay cool
- Laser perforated panels on side of the legs promote air circulation in high heat stress areas
- Straight waistband with inner elastic band for comfortable fit
- Reflective zip leg ventilation on both legs provides optimal visibility
- Double layered contoured knee for added durability
- Available in navy, tan and gray
- UPF 50+

Care Instructions



Machine Wash



Water Temp 60°C



Do Not Bleach



Tumble Dry



Low Heat

KEY: Made from recycled or bio-based Launderable Recyclable via TerraCycle®

PROTECTIVE INDUSTRIAL PRODUCTS, INC. | BRINGING THE BEST OF THE WORLD TO YOU®

AMERICAS: +1 (800) 262-5755 | EUROPE: +34-96182-41-48 | AMEA: (ASIA, MIDDLE EAST, AFRICA) 852-2475-9228 | www.pipglobalsafety.com

This document and the information contained herein is the property of Protective Industrial Products, Inc. (PIP) and may not be used or reproduced without permission. Product users should conduct all appropriate testing or other evaluations to determine the suitability of PIP products for a particular purpose or use within a particular environment. PIP DISCLAIMS ALL WARRANTIES OTHER THAN AS EXPRESSLY PROVIDED. 2025-09-29



SKU Information

SKU	COLOR	SIZE	UPC	UPC (INNER)	UPC (CASE)
411W6150-GR-2S	Gray	2S	616314892264	10616314892261	20616314892268
411W6150-GR-2R	Gray	2R	616314892387	10616314892384	20616314892381
411W6150-GR-2T	Gray	2T	616314892509	10616314892506	20616314892503
411W6150-GR-4S	Gray	4S	616314891908	10616314891905	20616314891902
411W6150-GR-4R	Gray	4R	616314892028	10616314892025	20616314892022
411W6150-GR-4T	Gray	4T	616314892141	10616314892148	20616314892145
411W6150-GR-6S	Gray	6S	616314892622	10616314892629	20616314892626
411W6150-GR-6R	Gray	6R	616314892745	10616314892742	20616314892749
411W6150-GR-6T	Gray	6T	616314892868	10616314892865	20616314892862
411W6150-GR-8S	Gray	8S	616314892981	10616314892988	20616314892985
411W6150-GR-8R	Gray	8R	616314893100	10616314893107	20616314893104
411W6150-GR-8T	Gray	8T	616314893223	10616314893220	20616314893227
411W6150-GR-10S	Gray	10S	616314893346	10616314893343	20616314893340
411W6150-GR-10R	Gray	10R	616314893469	10616314893466	20616314893463
411W6150-GR-10T	Gray	10T	616314897580	10616314897587	20616314897584
411W6150-GR-12S	Gray	12S	616314897702	10616314897709	20616314897706
411W6150-GR-12R	Gray	12R	616314897825	10616314897822	20616314897829
411W6150-GR-12T	Gray	12T	616314897948	10616314897945	20616314897942
411W6150-GR-14S	Gray	14S	616314898068	10616314898065	20616314898062
411W6150-GR-14R	Gray	14R	616314898181	10616314898188	20616314898185
411W6150-GR-14T	Gray	14T	616314898303	10616314898300	20616314898307
411W6150-GR-16S	Gray	16S	616314898426	10616314898423	20616314898420
411W6150-GR-16R	Gray	16R	616314898549	10616314898546	20616314898543
411W6150-GR-16T	Gray	16T	616314898662	10616314898669	20616314898666
411W6150-GR-18S	Gray	18S	616314898785	10616314898782	20616314898789
411W6150-GR-18R	Gray	18R	616314898907	10616314898904	20616314898901
411W6150-GR-18T	Gray	18T	616314899027	10616314899024	20616314899021
411W6150-GR-20S	Gray	20S	616314899225	10616314899222	20616314899229
411W6150-GR-20R	Gray	20R	616314899348	10616314899345	20616314899342
411W6150-GR-20T	Gray	20T	616314899461	10616314899468	20616314899465
411W6150-GR-22S	Gray	22S	616314889585	10616314889582	20616314889589
411W6150-GR-22R	Gray	22R	616314889707	10616314889704	20616314889701
411W6150-GR-24S	Gray	24S	616314889820	10616314889827	20616314889824
411W6150-GR-24R	Gray	24R	616314889943	10616314889940	20616314889947
411W6150-NV-2S	Navy	2S	616314892301	10616314892308	20616314892305
411W6150-NV-2R	Navy	2R	616314892424	10616314892421	20616314892428
411W6150-NV-2T	Navy	2T	616314892547	10616314892544	20616314892541
411W6150-NV-4S	Navy	4S	616314891946	10616314891943	20616314891940
411W6150-NV-4R	Navy	4R	616314892066	10616314892063	20616314892060
411W6150-NV-4T	Navy	4T	616314892189	10616314892186	20616314892183

PROTECTIVE INDUSTRIAL PRODUCTS, INC. | BRINGING THE BEST OF THE WORLD TO YOU®

AMERICAS: +1 (800) 262-5755 | EUROPE: +34-96182-41-48 | AMEA: (ASIA, MIDDLE EAST, AFRICA) 852-2475-9228 | www.pipglobalsafety.com

This document and the information contained herein is the property of Protective Industrial Products, Inc. (PIP) and may not be used or reproduced without permission. Product users should conduct all appropriate testing or other evaluations to determine the suitability of PIP products for a particular purpose or use within a particular environment. PIP DISCLAIMS ALL WARRANTIES OTHER THAN AS EXPRESSLY PROVIDED. 2025-09-29



SKU Information

SKU	COLOR	SIZE	UPC	UPC (INNER)	UPC (CASE)
411W6150-NV-6S	Navy	6S	616314892660	10616314892667	20616314892664
411W6150-NV-6R	Navy	6R	616314892783	10616314892780	20616314892787
411W6150-NV-6T	Navy	6T	616314892905	10616314892902	20616314892909
411W6150-NV-8S	Navy	8S	616314893025	10616314893022	20616314893029
411W6150-NV-8R	Navy	8R	616314893148	10616314893145	20616314893142
411W6150-NV-8T	Navy	8T	616314893261	10616314893268	20616314893265
411W6150-NV-10S	Navy	10S	616314893384	10616314893381	20616314893388
411W6150-NV-10R	Navy	10R	616314893506	10616314893503	20616314893500
411W6150-NV-10T	Navy	10T	616314897627	10616314897624	20616314897621
411W6150-NV-12S	Navy	12S	616314897740	10616314897747	20616314897744
411W6150-NV-12R	Navy	12R	616314897863	10616314897860	20616314897867
411W6150-NV-12T	Navy	12T	616314897986	10616314897983	20616314897980
411W6150-NV-14S	Navy	14S	616314898105	10616314898102	20616314898109
411W6150-NV-14R	Navy	14R	616314898228	10616314898225	20616314898222
411W6150-NV-14T	Navy	14T	616314898341	10616314898348	20616314898345
411W6150-NV-16S	Navy	16S	616314898464	10616314898461	20616314898468
411W6150-NV-16R	Navy	16R	616314898587	10616314898584	20616314898581
411W6150-NV-16T	Navy	16T	616314898709	10616314898706	20616314898703
411W6150-NV-18S	Navy	18S	616314898822	10616314898829	20616314898826
411W6150-NV-18R	Navy	18R	616314898945	10616314898942	20616314898949
411W6150-NV-18T	Navy	18T	616314899065	10616314899062	20616314899069
411W6150-NV-20S	Navy	20S	616314899263	10616314899260	20616314899267
411W6150-NV-20R	Navy	20R	616314899386	10616314899383	20616314899380
411W6150-NV-20T	Navy	20T	616314899508	10616314899505	20616314899502
411W6150-NV-22S	Navy	22S	616314889622	10616314889629	20616314889626
411W6150-NV-22R	Navy	22R	616314889745	10616314889742	20616314889749
411W6150-NV-24S	Navy	24S	616314889868	10616314889865	20616314889862
411W6150-NV-24R	Navy	24R	616314889981	10616314889988	20616314889985
411W6150-TN-2S	Tan	2S	616314892349	10616314892346	20616314892343
411W6150-TN-2R	Tan	2R	616314892462	10616314892469	20616314892466
411W6150-TN-2T	Tan	2T	616314892585	10616314892582	20616314892589
411W6150-TN-4S	Tan	4S	616314891984	10616314891981	20616314891988
411W6150-TN-4R	Tan	4R	616314892103	10616314892100	20616314892107
411W6150-TN-4T	Tan	4T	616314892226	10616314892223	20616314892220
411W6150-TN-6S	Tan	6S	616314892707	10616314892704	20616314892701
411W6150-TN-6R	Tan	6R	616314892820	10616314892827	20616314892824
411W6150-TN-6T	Tan	6T	616314892943	10616314892940	20616314892947
411W6150-TN-8S	Tan	8S	616314893063	10616314893060	20616314893067
411W6150-TN-8R	Tan	8R	616314893186	10616314893183	20616314893180
411W6150-TN-8T	Tan	8T	616314893308	10616314893305	20616314893302

PROTECTIVE INDUSTRIAL PRODUCTS, INC. | BRINGING THE BEST OF THE WORLD TO YOU®

AMERICAS: +1 (800) 262-5755 | EUROPE: +34-96182-41-48 | AMEA: (ASIA, MIDDLE EAST, AFRICA) 852-2475-9228 | www.pipglobalsafety.com

This document and the information contained herein is the property of Protective Industrial Products, Inc. (PIP) and may not be used or reproduced without permission. Product users should conduct all appropriate testing or other evaluations to determine the suitability of PIP products for a particular purpose or use within a particular environment. PIP DISCLAIMS ALL WARRANTIES OTHER THAN AS EXPRESSLY PROVIDED. 2025-09-29



SKU Information

SKU	COLOR	SIZE	UPC	UPC (INNER)	UPC (CASE)
411W6150-TN-10S	Tan	10S	616314893421	10616314893428	20616314893425
411W6150-TN-10R	Tan	10R	616314897542	10616314897549	20616314897546
411W6150-TN-10T	Tan	10T	616314897665	10616314897662	20616314897669
411W6150-TN-12S	Tan	12S	616314897788	10616314897785	20616314897782
411W6150-TN-12R	Tan	12R	616314897900	10616314897907	20616314897904
411W6150-TN-12T	Tan	12T	616314898020	10616314898027	20616314898024
411W6150-TN-14S	Tan	14S	616314898143	10616314898140	20616314898147
411W6150-TN-14R	Tan	14R	616314898266	10616314898263	20616314898260
411W6150-TN-14T	Tan	14T	616314898389	10616314898386	20616314898383
411W6150-TN-16S	Tan	16S	616314898501	10616314898508	20616314898505
411W6150-TN-16R	Tan	16R	616314898624	10616314898621	20616314898628
411W6150-TN-16T	Tan	16T	616314898747	10616314898744	20616314898741
411W6150-TN-18S	Tan	18S	616314898860	10616314898867	20616314898864
411W6150-TN-18R	Tan	18R	616314898983	10616314898980	20616314898987
411W6150-TN-18T	Tan	18T	616314899102	10616314899109	20616314899106
411W6150-TN-20S	Tan	20S	616314899300	10616314899307	20616314899304
411W6150-TN-20R	Tan	20R	616314899423	10616314899420	20616314899427
411W6150-TN-20T	Tan	20T	616314889547	10616314889544	20616314889541
411W6150-TN-22S	Tan	22S	616314889660	10616314889667	20616314889664
411W6150-TN-22R	Tan	22R	616314889783	10616314889780	20616314889787
411W6150-TN-24S	Tan	24S	616314889905	10616314889902	20616314889909
411W6150-TN-24R	Tan	24R	616314890024	10616314890021	20616314890028

PROTECTIVE INDUSTRIAL PRODUCTS, INC. | BRINGING THE BEST OF THE WORLD TO YOU®

AMERICAS: +1 (800) 262-5755 | EUROPE: +34-96182-41-48 | AMEA: (ASIA, MIDDLE EAST, AFRICA) 852-2475-9228 | www.pipglobalsafety.com

This document and the information contained herein is the property of Protective Industrial Products, Inc. (PIP) and may not be used or reproduced without permission. Product users should conduct all appropriate testing or other evaluations to determine the suitability of PIP products for a particular purpose or use within a particular environment. PIP DISCLAIMS ALL WARRANTIES OTHER THAN AS EXPRESSLY PROVIDED. 2025-09-29