

POWERCUT® WITH ALYCORE™ CUT & PUNCTURE RESISTANT MECHANICS GLOVE

Majestic PowerCut® gloves made with patented Alycore™ offers cut, puncture and needle resistance like no other product has before. Composed mostly of super-thin threads of iron and carbon, Alycore™ is lightweight, flexible, breathable, recyclable, and washable while providing ultimate protection.



- ◆ Armor Skin™ palm
- Knit back, Velcro wrist closure
- Pre-curved finger design to minimize hand fatique

Technical Data

Material	Alycore™ cut & puncture resistant material, lycra backing			
Cuff Closure	Velcro wrist			
Needle Puncture Protection*	3.19 lbs of resistance on palm 1.9 lbs of resistance on fingers			
Alycore [™] Layers	Palm: 6, Fingers: 3			
Sizes	S-XXL			
Packaging	6dz/case			
Case Size	WEIGHT: 15.62 lbs DIMENSIONS: 13.7 x 9.9 x 25.5 in			
C00	China			

Performance			EN388: 3522		
Abrasion	0	1	2 3	4	
Cut	0	1	2 3	4 5	
Tear	0	1	2 3	4	
Puncture	0	1	2 3	4	

ANSI: CUT A9, PUNCTURE 3





25 gauge needle buckling

25 gauge needle failure









Values based on standard 25 gauge syringe needle using ASTM F2878, other needle gauges will result in slightly different values. All tests were conducted using ASTM F2878, Alycore[™] is puncture resistant and not puncture proof. Assess if gloves are suitable for intend use or consult with a safety manager, director or consultant






























All safety equipment should be selected in conjunction with an approved safety program that assesses your specific hazards. The selection and use of specific products sold by cclusively within the control of, and remains the sole responsibility of the customer. Many variables beyond the control of Majestic affect the results obtained in applying these products. Inappropriate selection and/or use of safety products may cause serious injury.

SPECIFICATION SHEET **A3P37B**

Reliability in Safety.

Majestic Glove 2510 W Casino Rd Everett, WA 98204

P: 800-367-4568 F: 425-407-1030 orders@majesticglove.com

majesticglove.com