

# Declaration of Conformity

In Accordance with ANSI/ISEA 125-2014 and ANSI/ASSP Z359.7-2019



Alexander Andrew, Inc. 1306 S. Alameda St Compton, CA 90221 (800) 719-4619

Declaration #

B0627199

Declaration Date

6/27/2023

Tested Item #

8123BQCM

FT-One FBH 3D Construction Belted, Medium, QC Legs and Chest

### Additional Items Conforming Under this Declaration:

8123BQCXS 8123BQCXL 8124BQCXS 8124BQCL 8124BQC3X  
8123BQCS 8123BQC2X 8124BQCS 8124BQCXL  
8123BQCL 8123BQC3X 8124BQCM 8124BQC2X

Alexander Andrew, Inc. declares that the product(s) listed above is in conformity with the requirements of the following product standard(s):

ANSI Z359.11-2021

### Conformity Assessment Method in accordance with ANSI/ISEA 125-2014

Level 1

Level 2

Level 3

Level 1: FallTech Lab  
Outside the Scope of  
ISO/IEC Standard 17025:2005

Level 2: FallTech Lab  
Within the Scope of  
ISO/IEC Standard 17025:2005

Level 3: Independent 3rd Party Lab  
accredited to  
ISO/IEC Standard 17025:2005

Supporting  
Documentation

PC-2820

Authorized Signature

Name

Zachary Winters

Title

Engineering Manager

Date

6/27/2023



International Accreditation Service, Inc  
3060 Saturn St, Ste 100  
Brea, CA 92821 +1 562-364-8201

FallTech Lab - TL-594  
ISO/IEC 17025:2017

Alexander Andrew Inc dba FallTech

### FallTech Test Report

<b>Test Report No.</b>	PC-2820	<b>Rpt. Date</b>	6/23/2023	<b>Rpt. Rev</b>		<b>Rev Date</b>	
<b>Report Prepared For</b>	FallTech						
<b>Initiated By</b>	Zachary Winters	<b>Test Specification(s)</b>		ANSI Z359.11-2021: 4.3.3, 4.3.4, 4.3.5, 4.3.6			
<b>Part No.</b>	8123BQCM	<b>Part No. Revision</b>			A		
<b>Part Description</b>	FT-One FBH 3D Construction Belted, Medium, QC Legs and Chest						
<b>Test Request No.</b>	PC-2820	<b>Date Complete</b>			6/23/2023		
<b>Test Operator(s)</b>	Yesbet Sierra / Jay Sponholz						

### Material/Sample Identification

Sample ID	Description
7093781	FT-One FBH 3D Construction Belted, Medium, QC Legs and Chest
7093780	FT-One FBH 3D Construction Belted, Medium, QC Legs and Chest
7093779	FT-One FBH 3D Construction Belted, Medium, QC Legs and Chest
7093782	FT-One FBH 3D Construction Belted, Medium, QC Legs and Chest
7093786	FT-One FBH 3D Construction Belted, Medium, QC Legs and Chest
7093784	FT-One FBH 3D Construction Belted, Medium, QC Legs and Chest
7093783	FT-One FBH 3D Construction Belted, Medium, QC Legs and Chest
7093788	FT-One FBH 3D Construction Belted, Medium, QC Legs and Chest
7093775	FT-One FBH 3D Construction Belted, Medium, QC Legs and Chest
7093787	FT-One FBH 3D Construction Belted, Medium, QC Legs and Chest
7093774	FT-One FBH 3D Construction Belted, Medium, QC Legs and Chest
7093789	FT-One FBH 3D Construction Belted, Medium, QC Legs and Chest
7093784	FT-One FBH 3D Construction Belted, Medium, QC Legs and Chest
7093786	FT-One FBH 3D Construction Belted, Medium, QC Legs and Chest
7093782	FT-One FBH 3D Construction Belted, Medium, QC Legs and Chest

### Test Summary

Test Specification	Test Criteria	Test Result	Pass/Fail	
ANSI Z359.11-2021 4.3.5	Static Strength (Dorsal D-ring)	3600 Lbf $\geq$ 1 Minute	3627.7 Lbf	Pass
	Hold Test Torso	Shall Not Release Torso	Did Not Release	Pass
	Adjuster Slippage	Slippage $\leq$ 1"	0.32"	Pass
	Tear Distance (Buckle)	Shall Not Tear > 1"	Did Not Tear Through	Pass
	Tearing (Straps)	Shall Not Show Any Tearing	Did Not Tear	Pass
ANSI Z359.11-2021 4.3.5	Static Strength (Dorsal D-ring)	3600 Lbf $\geq$ 1 Minute	3648.9 Lbf	Pass
	Hold Test Torso	Shall Not Release Torso	Did Not Release	Pass
	Adjuster Slippage	Slippage $\leq$ 1"	0.33"	Pass
	Tear Distance (Buckle)	Shall Not Tear > 1"	Did Not Tear Through	Pass
	Tearing (Straps)	Shall Not Show Any Tearing	Did Not Tear	Pass
ANSI Z359.11-2021 4.3.5	Static Strength (Dorsal D-ring)	3600 Lbf $\geq$ 1 Minute	3639.5 Lbf	Pass
	Hold Test Torso	Shall Not Release Torso	Did Not Release	Pass
	Adjuster Slippage	Slippage $\leq$ 1"	0.41"	Pass
	Tear Distance (Buckle)	Shall Not Tear > 1"	Did Not Tear Through	Pass
	Tearing (Straps)	Shall Not Show Any Tearing	Did Not Tear	Pass

### FallTech Test Report

<b>Test Report No.</b>	PC-2820	<b>Rpt. Date</b>	6/23/2023	<b>Rpt. Rev</b>		<b>Rev Date</b>	
<b>Report Prepared For</b>	FallTech						
<b>Initiated By</b>	Zachary Winters	<b>Test Specification(s)</b>		ANSI Z359.11-2021: 4.3.3, 4.3.4, 4.3.5, 4.3.6			
<b>Part No.</b>	8123BQCM	<b>Part No. Revision</b>			A		
<b>Part Description</b>	FT-One FBH 3D Construction Belted, Medium, QC Legs and Chest						
<b>Test Request No.</b>	PC-2820	<b>Date Complete</b>			6/23/2023		

### Test Summary Continued

Test Specification	Test Criteria	Test Result	Pass/Fail	
ANSI Z359.11-2021 4.3.5	Static Strength (Side D-rings)	3600 Lbf $\geq$ 1 Minute	3642.5 Lbf	Pass
	Hold Test Torso	Shall Not Release Torso	Did Not Release	Pass
	Adjuster Slippage	Slippage $\leq$ 1"	0.0"	Pass
	Tear Distance (Buckle)	Shall Not Tear > 1"	Did Not Tear Through	Pass
	Tearing (Straps)	Shall Not Show Any Tearing	Did Not Tear	Pass
ANSI Z359.11-2021 4.3.5	Static Strength (Side D-rings)	3600 Lbf $\geq$ 1 Minute	3629.9 Lbf	Pass
	Hold Test Torso	Shall Not Release Torso	Did Not Release	Pass
	Adjuster Slippage	Slippage $\leq$ 1"	0.0"	Pass
	Tear Distance (Buckle)	Shall Not Tear > 1"	Did Not Tear Through	Pass
	Tearing (Straps)	Shall Not Show Any Tearing	Did Not Tear	Pass
ANSI Z359.11-2021 4.3.5	Static Strength (Side D-rings)	3600 Lbf $\geq$ 1 Minute	3666.4 Lbf	Pass
	Hold Test Torso	Shall Not Release Torso	Did Not Release	Pass
	Adjuster Slippage	Slippage $\leq$ 1"	0.0"	Pass
	Tear Distance (Buckle)	Shall Not Tear > 1"	Did Not Tear Through	Pass
	Tearing (Straps)	Shall Not Show Any Tearing	Did Not Tear	Pass
ANSI Z359.11-2021 4.3.3	Dynamic Performance Dorsal D-ring (Feet First)	Peak Impact Load $\geq$ 3600 Lbf	4477.3 Lbf	Pass
	Fall Arrest	Shall Not Release Torso	Did Not Release	Pass
	Post Drop Angle	Angle at Rest $\leq$ 30°	2.2°	Pass
	Impact Indicator	One Indicator Shall Deploy	Permanently Deployed	Pass
	Harness Stretch	Shall Not Exceed 18"	12.0"	Pass
ANSI Z359.11-2021 4.3.3	Dynamic Performance Dorsal D-ring (Feet First)	Peak Impact Load $\geq$ 3600 Lbf	4466.3 Lbf	Pass
	Fall Arrest	Shall Not Release Torso	Did Not Release	Pass
	Post Drop Angle	Angle at Rest $\leq$ 30°	2.8°	Pass
	Impact Indicator	One Indicator Shall Deploy	Permanently Deployed	Pass
	Harness Stretch	Shall Not Exceed 18"	11.7"	Pass
ANSI Z359.11-2021 4.3.3	Dynamic Performance Dorsal D-ring (Feet First)	Peak Impact Load $\geq$ 3600 Lbf	4449.8 Lbf	Pass
	Fall Arrest	Shall Not Release Torso	Did Not Release	Pass
	Post Drop Angle	Angle at Rest $\leq$ 30°	2.7°	Pass
	Impact Indicator	One Indicator Shall Deploy	Permanently Deployed	Pass
	Harness Stretch	Shall Not Exceed 18"	11.8"	Pass

### FallTech Test Report

<b>Test Report No.</b>	PC-2820	<b>Rpt. Date</b>	6/23/2023	<b>Rpt. Rev</b>		<b>Rev Date</b>	
<b>Report Prepared For</b>	FallTech						
<b>Initiated By</b>	Zachary Winters	<b>Test Specification(s)</b>	ANSI Z359.11-2021: 4.3.3, 4.3.4, 4.3.5, 4.3.6				
<b>Part No.</b>	8123BQCM	<b>Part No. Revision</b>	A				
<b>Part Description</b>	FT-One FBH 3D Construction Belted, Medium, QC Legs and Chest						
<b>Test Request No.</b>	PC-2820	<b>Date Complete</b>	6/23/2023				

### Test Summary Continued

Test Specification	Test Criteria	Test Result	Pass/Fail
ANSI Z359.11-2021 4.3.4	Dynamic Performance Dorsal D-ring (Head First)	Peak Impact $\geq$ 3,600 Lbf or 72" Free Fall 2414.6 Lbf	72" Free fall 2414.6 Lbf Pass
	Fall Arrest	Shall Not Release Torso	Did Not Release Pass
	Post Drop Angle	Angle at Rest $\leq$ 30°	4.7° Pass
	Impact Indicator	One Indicator Shall Deploy	Permanently Deployed Pass
ANSI Z359.11-2021 4.3.4	Dynamic Performance Dorsal D-ring (Head First)	Peak Impact $\geq$ 3,600 Lbf or 72" Free Fall 2235.6 Lbf	72" Free fall 2235.6 Lbf Pass
	Fall Arrest	Shall Not Release Torso	Did Not Release Pass
	Post Drop Angle	Angle at Rest $\leq$ 30°	2.5° Pass
	Impact Indicator	One Indicator Shall Deploy	Permanently Deployed Pass
ANSI Z359.11-2021 4.3.4	Dynamic Performance Dorsal D-ring (Head First)	Peak Impact $\geq$ 3,600 Lbf or 72" Free Fall 2220.2 Lbf	72" Free fall 2220.2 Lbf Pass
	Fall Arrest	Shall Not Release Torso	Did Not Release Pass
	Post Drop Angle	Angle at Rest $\leq$ 30°	5.6° Pass
	Impact Indicator	One Indicator Shall Deploy	Permanently Deployed Pass
ANSI Z359.11-2021 4.3.6	Fall Arrest Indicator Test (Doral D-ring)	At Least One Fall Arrest Indicator Shall Deploy	Visibly and Permanently Deployed Pass
ANSI Z359.11-2021 4.3.6	Fall Arrest Indicator Test (Doral D-ring)	At Least One Fall Arrest Indicator Shall Deploy	Visibly and Permanently Deployed Pass
ANSI Z359.11-2021 4.3.6	Fall Arrest Indicator Test (Doral D-ring)	At Least One Fall Arrest Indicator Shall Deploy	Visibly and Permanently Deployed Pass

### Conclusion

Based upon the samples provided to the Lab:  
 FallTech P/N 8123BQCM Rev. A meets the requirements of ANSI Z359.11-2021

### Report Signatories and Approval

Lab Quality Manager		Date	6/23/2023
---------------------	---	------	-----------