

Declaration of Conformity

In Accordance with ANSI/ISEA 125-2014



Alexander Andrew, Inc. 1306 S. Alameda St Compton, CA 90221

Declaration #

B0717130

Declaration Date

7.28.17

Tested Item #

7090M

Restraint Belt

Additional Items Conforming Under this Declaration:

7090L

7090S

70902X

70903X

7090XL

Alexander Andrew, Inc. declares that the product(s) listed above is in conformity with the requirements of the following performance standard(s):

ANSI Z359.11-2014

Conformity Assessment Method in accordance with ANSI/ISEA 125-2014

Level 1

Level 2

X

Level 3

Level 1: FallTech Lab
Outside the Scope of
ISO/IEC Standard 17025:2005

Level 2: FallTech Lab
Within the Scope of
ISO/IEC Standard 17025:2005

Level 3: Independent 3rd Party Lab
accredited to
ISO/IEC Standard 17025:2005

Supporting
Documentation

PC-1164

Authorized Signature

Name

Martin Barila

Title

VP of Operations

Date

2.14.18

Exova
3883 East Eagle Drive
Anaheim
California
USA
92807

T: +1 (714) 630-3003
F: +1 (714) 630-4443
E: sales@exova.com
W: www.exova.com



Testing. Advising. Assuring.

July 28, 2017

FallTech Testing Laboratory
1306 S. Alameda Street
Compton, CA 90221

Attention: Jay Sponholz
Quality Manager

Subject: **Attestation of Witnessing Testing**
Exova OCM Job # 371118-7
FallTech P.O.: OPEN
Report No.: PC-1164
Base Part No. 7090M
Description: Restraint Belt

Dear Mr. Sponholz:

The purpose of this attestation is to attest to the fact that a representative of Exova OCM was on site at FallTech's facilities to confirm suitability of the equipment used, calibration status of the equipment and to witness testing performed by FallTech employees. Details of this visit are included below:



- Date of Testing:
 - July 27, 2017
- Exova OCM Test Witness:
 - 7/27/17 -Nolan Schatzle
- FallTech Test Operators:
 - Yesbet Sierra/Jay Sponholz
- Specification:


ANSI Z359.11 -14; 4.3.5

- Equipment Calibration Interval
 - 1 year, except weights which are 5 years

Attached to this attestation is the test report generated by FallTech Testing Laboratory. Exova OCM test witness certifies the report accurately presents the testing performed on the samples identified.

Test Report #	Date	Base Part #	Description	Sample ID's	Results
PC-1164	7/27/17	7090M	Restraint Belt	3997289 3997287 3997303	Pass

Test Witness Signature: Nolan Schatzle Technician Mechanical Laboratory	<p>(Signed for and on behalf of Exova-OCM)</p>  
---	---

Approval Signature: Victor Mendez Production Manager	<p>(Signed for and on behalf of Exova-OCM)</p> 
---	---

This attestation shall not be reproduced except in full, without the written approval of Exova-OCM. The laboratory has witnessed the testing the material / items supplied by the client as sampled by the client. The testing is not within Exova OCM's L.A.B scope of testing and was not performed at Exova OCM.



LABORATORY ACCREDITATION BUREAU a division of A-S-B
ACCREDITED ISO/IEC 17025
Certificate # L2195 Testing

FallTech Test Report

Test Report No.	PC-1164	Rpt. Date	7/28/2017	Rpt. Rev		Rev Date	
Report Prepared For	FallTech						
Initiated By	Dan Redden	Test Specification(s)	ANSI Z359.11 - 14; 4.3.5				
Part No.	7090M	Part No. Revision	A				
Part Description	Restraint Belt						
Test Request No.	PC-1164	Date Complete	7/27/2017				
Test Operator(s)	Yesbet Sierra, Jay Sponholz						

Material/Sample Identification

Sample ID	Description
3997289	Restraint Belt
3997287	Restraint Belt
3997303	Restraint Belt

Test Summary

Test Specification	Test Criteria	Test Result	Pass/Fail	
ANSI Z359.11-2014 4.3.5	Static Strength (Waist/Rear D-ring)	3600 Lbf \geq 1 Minute	3633.8 Lbf	Pass
	Static Strength (Waist/Rear D-ring)	Harness Shall Not Release Test Torso	Did Not Release	Pass
	Adjuster Slippage	Slippage \leq 1"	0.0"	Pass
	Tear Distance	Shall Not Tear a Distance > Adjacent Eyelet	Did Not Tear Through	Pass
	Tearing	Straps Shall Not Show Any Signs of Tearing	Did Not Tear	Pass
ANSI Z359.11-2014 4.3.5	Static Strength (Waist/Rear D-ring)	3600 Lbf \geq 1 Minute	3641.6 Lbf	Pass
	Static Strength (Waist/Rear D-ring)	Harness Shall Not Release Test Torso	Did Not Release	Pass
	Adjuster Slippage	Slippage \leq 1"	0.0"	Pass
	Tear Distance	Shall Not Tear a Distance > Adjacent Eyelet	Did Not Tear Through	Pass
	Tearing	Straps Shall Not Show Any Signs of Tearing	Did Not Tear	Pass



FallTech Test Report


Test Report No.	PC-1164	Rpt. Date	7/28/2017	Rpt. Rev		Rev Date	
Report Prepared For	FallTech						
Initiated By	Dan Redden	Test Specification(s)	ANSI Z359.11 - 14; 4.3.5				
Part No.	7090M	Part No. Revision	A				
Part Description	Restraint Belt						
Test Request No.	PC-1164	Date Complete	7/27/2017				


ANSI Z359.11-2014 4.3.5	Static Strength (Waist/Rear D-ring)	3600 Lbf \geq 1 Minute	3642.4 Lbf	Pass
	Static Strength (Waist/Rear D-ring)	Harness Shall Not Release Test Torso	Did Not Release	Pass
	Adjuster Slippage	Slippage \leq 1"	0.0"	Pass
	Tear Distance	Shall Not Tear a Distance > Adjacent Eyelet	Did Not Tear Through	Pass
	Tearing	Straps Shall Not Show Any Signs of Tearing	Did Not Tear	Pass

Conclusion

FallTech P/N 7090M Rev. A meets the requirements of ANSI Z359.11-2014.

Report Signatories and Approval

Lab Quality Manager		Date	7/28/2017
---------------------	---	------	-----------

Witnessed by	Nolan Schatzle 	Date	7-31-17
--------------	---	------	---------