

# High-Visibility Cut and Impact Resistant Gloves Made with Tuffalene® Platinum

## DESCRIPTION

Free from glass fibers or metal enhancements to achieve this level of cut protection. This lightweight seamless glove is an outstanding cut-resistant option with its high-visibility orange 13-gauge Tuffalene® Platinum shell. Tuffalene® Platinum takes an innovative approach to achieve a higher standard of comfort, protection, and durability. This uniquely crafted material is cooler and provides a more comfortable user experience while also retaining a puncture resistance comparable to enhanced fibers. Gloves made with Tuffalene® Platinum last longer than enhanced gloves due to the inherent abrasion resistance of the fiber construction. Because Tuffalene® Platinum gloves are constructed without metal or glass fibers, particles of these fibers do not contaminate other materials during handling. The shell is also enhanced with a black Xtreme Foam Technology nitrile-coated palm and touch screen compatible fingertips.

Each pair is individually hang-tagged for retail sale.



INDUSTRY		
Automotive	Furniture	Machine Operation
Carpentry	Maintenance	Mechanics
Construction	Masonry	Utilities
Demolition	Material Handling	

## ITEM CIA388XFT SIZES 7(S)-11(2XL)



## FEATURES

- 13-gauge Tuffalene® Platinum UHMWPE shell offers bare hand sensitivity and cut resistance, free from glass fibers or metal enhancements
- Highly-flexible Xtreme Foam Technology (XFT) finish is breathable and enhances grip in a wide variety of conditions
- Touch screen compatible fingertips
- Overcast color on hem for easy size identification
- Knit wrist cuff offers users a secure, comfortable fit
- ANSI/ISEA 105 Cut Level A4
- ASTM F2992-15 Results = 1,522 grams
- ANSI/ISEA 105 Abrasion Level 6
- ANSI/ISEA 105 Puncture Level 4
- ANSI/ISEA 105 Puncture Results: 102 Newtons
- ANSI/ISEA 138 Impact Level (Overall): 2
- ANSI/ISEA 138 Impact Level (Knuckles): 2
- ANSI/ISEA 138 Impact Level (Fingers/Thumb): 2
- EN 388 Levels: 4X43D

## SPECIFICATIONS

SHELL	GAUGE	SHELL COLOR	COATING TYPE	COATING COLOR	COATING	FINISH	CUFF	TOUCH SCREEN
Tuffalene® Platinum UHMWPE	13-Gauge	High-Visibility Orange	Palm	Black	Nitrile	Xtreme Foam Technology	Knit Wrist	Palm
ANSI CUT	ASTM F2992-15 RESULTS	ANSI ABRASION	ANSI PUNCTURE	PUNCTURE RESULTS	ANSI/ISEA IMPACT	EN 388 LEVELS		
Level A4	1,522 Grams	Level 6	Level 4	102 Newtons	Level 2	4X43D		

## PACKAGING

	QUANTITY	7(S)	8(M)	9(L)	10(XL)	11(2XL)
PAIR UPC	1	810033290787	810033290794	810033290800	810033290817	810033290824
INNER PACK GTIN	12/PACK	10810033290784	10810033290791	10810033290807	10810033290814	10810033290821
CASE GTIN	6 PK/CASE	20810033290781	20810033290798	20810033290804	20810033290811	20810033290828
CASE WEIGHT (IN POUNDS)		22.6	24.3	26.1	27.9	28.2
OVERCAST COLOR		Red	Green	Brown	Black	Light Blue

