



HAND PROTECTION

Cut, Abrasion, and Puncture Resistant Xtreme Foam Technology Coated Gloves Made with Tuffalene®

DESCRIPTION

This lightweight, seamless glove features a lightweight 18-gauge Tuffalene® UHMWPE fiber shell. The shell is enhanced with an Xtreme Foam Technology nitrile coated palm plus a reinforced thumb crotch.

INDUSTRY

Assembly	Machine Operation
Automotive	Maintenance
Carpentry	Metal Work
Construction	Utilities
Demolition	Metal Fabrication



FEATURES

- 18-gauge Tuffalene® UHMWPE shell offers bare hand sensitivity, cut resistance, and top-of-the-line dexterity
- Reinforced thumb crotch increases abrasion resistance in vulnerable area
- Highly-flexible Xtreme Foam Technology (XFT) finish is breathable and enhances grip in a wide variety of conditions

ITEM CRX7

SIZES 7(S)-11(2XL)

- Touch screen compatible fingertips
- Overcast color on hem for easy size identification
- Knit wrist cuff offers users a secure, comfortable fit
- ANSI/ISEA 105 Cut Level A7
- ASTM F2992-15 Results = 4,150 grams
- ANSI/ISEA 105 Abrasion Level 4
- ANSI/ISEA 105 Puncture Level 4
- ANSI/ISEA 105 Puncture Results: 108 Newtons
- EN 388 Levels: 4X42F

SPECIFICATIONS

SHELL	GAUGE	SHELL COLOR	COATING	COATING TYPE	COATING COLOR	REINFORCED AREA	ANSI CUT	ASTM F2992-15 RESULTS
Tuffalene® UHMWPE	18-Gauge	Blue/White	Nitrile	Palm	Black	Thumb Crotch	Level A7	4,150 Grams
ANSI ABRASION	ANSI PUNCTURE	PUNCTURE RESULTS	EN 388 LEVELS					
Level 4	Level 4	108 Newtons	4X42F					

PACKAGING

	QUANTITY	7(S)	8(M)	9(L)	10(XL)	11(2XL)
PAIR UPC	1	NA	NA	NA	NA	NA
INNER PACK UPC	12/PACK	810033291265	810033291272	810033291289	810033291296	810033293696
CASE GTIN	6 PK/CASE	10810033291262	10810033291279	10810033291286	10810033291293	10810033293693
CASE WEIGHT (IN POUNDS)		10.2	11.25	12.1	12.9	13.6
OVERCAST COLOR		Red	Green	Brown	Black	Light Blue

13915 Radium St NW
Ramsey, MN 55303

763-450-0110
Sales@GlobalGlove.com

GlobalGlove.com

