



«DUPONT»  
**Kevlar**

## **Dexterity® S10LXPB**

Superior puncture resistance with a strong, steady grip

Hypodermic needles are no match for these 10-gauge cotton polyester knit gloves, which feature Punkban™ protection at the palms and fingers for ANSI Level 5 puncture resistance. They are also ANSI Level 5 cut resistant. A latex coating ensures a steady grip in wet or dry conditions, and the lightweight properties of Punkban™ make these gloves highly dexterous, flexible and comfortable.



# DETAILS

## PRODUCT FEATURES

- Palm is lined with two layers of Punkban™ which is made by spinning and weaving DuPont™ Kevlar® yarn to provide ANSI Level 5 puncture resistance
- Tested against standard ASTM F2878 for protection from hypodermic needles
- The fingers feature wraparound Punkban™ protection to further protect fingertips
- ANSI Level 5 cut resistant
- Green latex coating for a strong, steady wet/dry grip with ample comfort and dexterity
- FDA and CFIA-compliant for safe food handling

DuPont™, the DuPont Oval Logo, and all trademarks and service marks denoted with ™, SM or ® are owned by affiliates of DuPont de Nemours, Inc. unless otherwise noted. © 2021 DuPont.

## APPLICATIONS

CONSTRUCTION, FOOD PROCESSING, LUMBER, MUNICIPALITY, RECYCLING

### RECOMMENDED FOR

MATERIAL HANDLING, RECYCLING SORTING, SITE CLEAN-UP, WASTE HANDLING

# SPECS

## SPECIFICATIONS

<b>PRODUCT ID</b>	S10LXPB	<b>MADE IN</b>	China
<b>SIZES</b>	6, 7, 8, 9, 10, 11	<b>INSTRUCTIONS</b>	No Bleach, Wash & Tumble Dry
<b>LADIES SIZES</b>	None	<b>CUFF LENGTH</b>	English 2"
<b>MATERIAL</b>	Cotton/Nylon, Punkban™		

		<b>CUFF STYLE</b>	Knit
<b>GAUGE</b>	10-Gauge		
<b>PALM COATING</b>	Palm, Palm Coating Texture, Latex		
<b>DIP TYPE</b>	Palm		

## SHIPPING AND PACKAGING

<b>UNSPSC CODE</b>	46181536	<b>COUNTRY OF ORIGIN</b>	China
<b>SHIP PACK QUANTITY</b>	12	<b>SKID QUANTITY</b>	24
<b>WEIGHT (LB)</b>	31.6	<b>CASE DIMENSIONS (IN)</b>	21.25x14.25x11
<b>UNIT OF MEASURE</b>	Pair		

## HAZARD PROTECTIONS

<b>ABRASION</b>	None	<b>CRUSH</b>	None
<b>ARC FLASH</b>	None	<b>CUT</b>	ANSI A5
<b>CHEMICAL</b>	None	<b>HEAT</b>	None
<b>COLD</b>	None	<b>FLAME</b>	None
<b>IMPACT</b>	None		
<b>VIBRATION</b>	None		
<b>PUNCTURE (PROBE)</b>	ANSI Level 5		
<b>PUNCTURE (HYPODERMIC NEEDLE)</b>	ANSI Level 5		

## FEATURES AND TECH

<b>ANTI-MICROBIAL</b>	None	<b>FDA COMPLIANT</b>	Yes
<b>BIODEGRADABLE</b>	None	<b>HIGH VISIBILITY</b>	Yes
<b>CFIA COMPLIANT</b>	Yes	<b>LATEX FREE</b>	None
<b>CLEANROOM FRIENDLY</b>	None	<b>LOW-LINTING</b>	None
<b>CRUSH RESISTANT FINGERCAPS (FINGERTIPS ONLY)</b>	None	<b>MADE IN AMERICAS</b>	None
<b>DISPOSABLE</b>	None	<b>MADE IN CANADA</b>	None
		<b>NON-MARRING</b>	None

English


<b>DOUBLE PALM</b>	None	<b>OIL/WATER REPELLANT (TREATMENT)</b>	None
<b>ESD/ ANTI-STATIC</b>	None	<b>REINFORCED THUMB CROTCH</b>	None
<b>EXTENDED SIZES</b>	None		
<b>SILICONE FREE</b>	None		
<b>TOUCHSCREEN FRIENDLY</b>	None		
<b>UKCA / CE CERTIFIED</b>	None		
<b>VEND PACK</b>	None		
<b>WATER RESISTANT (MATERIAL)</b>	None		
<b>WATERPROOF</b>	None		
<b>WELDING</b>	None		

## FIT & SIZING

A proper fit is extremely important. An uncomfortable fit causes hand fatigue and ultimately could lead to a potential workplace hazard.

Measure the width of your hand from the base of your first finger and across your knuckles.

SIZE	WIDTH (MM)	WIDTH (IN)
5 / 2XS	50 MM	2 IN
6 / XS	63 MM	2.5 IN
7 / S	75 MM	3 IN
8 / M	88 MM	3.5 IN
9 / L	101 MM	4 IN
10 / XL	113 MM	4.5 IN
11 / 2XL	126 MM	5 IN
12 / 3XL	140 MM	5.5 IN



**Request a Sample of This Product on  
SuperiorGlove.com**

**OR EMAIL US AT  
BUSINESS.DEVELOPMENT@SUPERIORGLOVE.COM**

---



---

Copyright © 2021 Superior Glove. All Rights Reserved.

[Privacy Policy](#)[Accessibility](#)[Accessibility Request Form](#)

English