


Cantilever Racking

## VERY NARROW AISLE CANTILEVER RACKING



## **VERY NARROW AISLE**

### Description

cogan.com

VNA cantilever racking offers the same versatile storage abilities as conventional cantilever racking, but with added aisle guide rail and end-of aisle guardrail. The rails work to guide narrow aisle fork trucks through the picking aisles, allowing for faster, easier and more efficient operation. Pick precision is increased and material damage is significantly reduced.

The guide rail is divided into two categories: installation type 1 and installation type 2. When installing type 1, the guide rail is welded to the cantilever rack base on site. Heavy-duty end-of-aisle guardrail is placed at each corner of the assembled cantilever system. Angles are then welded to the end-of-aisle guardrail, which creates a continuous barrier around the assembled system. Guide rails measure 4"x 6" x 3/8". End-of-aisle guardrail is 12" H and features a 3" fold along the top of the rail.

AISLE GUIDE RAIL WELDED TO CANTILEVER BASE


# AISLE GUIDE RAIL

### **Specifications**

| Purpose             | Maximize storage, interior use       |
|---------------------|--------------------------------------|
| Design              | Designed for narrow aisle fork truck |
| Installation Type 1 | Inserted into Base                   |
| Size                | 4" x 6" x 3/8"                       |
| Material            | Structural Steel                     |
| Finish              | Standard Raw Unfinished Steel or     |
|                     | Optional Powder Coated Yellow        |



Standard raw, unfinished steel- most economical, most recommended Safety Yellow (Optional - Available at an additional cost.Touch-up paint is required after on-site welding installation) INSTALLATION TYPE 1 WELDED ON-SITE TO THE CANTILEVER BASE







cogan.com


## **VERY NARROW AISLE CANTILEVER RACKING**

# END OF AISLE GUIDE

| CORCIEVENTION |     |
|---------------|-----|
| SPECIFICATION | IS. |

| Purpose             | Maximize storage, interior use       |
|---------------------|--------------------------------------|
| Design              | Designed for narrow aisle fork truck |
| Installation Type 2 | Heavy Duty, Bolted to the ground     |
| Height              | 12"                                  |
| Material            | Structural Steel                     |
| Finish              | Powder Coated                        |
| Connection          | ASTM A325 Structural Bolts           |

INSTALLATION TYPE 2 BOLTED TO THE GROUND









cogan.com

## VERY NARROW AISLE CANTILEVER RACKING

## **UPPER REINFORCEMENT ARMS**


### SPECIFICATIONS

| Purpose  | Maximize storage, interior use       |
|----------|--------------------------------------|
| Design   | Designed for narrow aisle fork truck |
| Material | Structural Steel                     |
| Finish   | Standard raw or powder-coated        |
|          |                                      |



Standard raw, unfinished steel- most economical, most recommended Cogan Grey (Columns, Bases and Arms)

### SIDE VIEW OF VNA CANTILEVER RACK OPTIONAL UPPER REINFORCEMENT ARM



#### REQUIRED SPACING BETWEEN GUIDE RAILS