

## LIFT OUT BRACKET

### Description

Lift-out brackets allow the rails to be lifted out rather than being bolted to the posts. The lift-out brackets are sold in pairs, one for the right of the guardrail and one for the left. The brackets are attached to the column using 5/16"Ø x 5 1/2" carriage bolts with a washer and "T" nut.



LIFT OUT BRACKETS - LEFT AND RIGHT BRACKET

## PRODUCT INFORMATION


### Specifications

**Need it fast?** This product is available for Accelerated Production. 2-week delivery on select components. See "Sizes" tab for details.

Accelerated Production orders are assembled using raw material that we keep in stock. This allow us to fast track your order through our abbreviated production process.

#### SPECIFICATIONS

Height	13"
Length	3 5/8"
Width	3 5/8"
Weight	18 lbs each
Finish	Powder Coated Safety Yellow
<i>Sold in pairs</i>	<i>lift out bracket left and right</i>



COLORS



Safety Yellow





**Cogan**  
Since 1901



**Guardrails**  
A Safe Workplace

cogan.com

# HEAVY - DUTY GUARDRAIL

## SIZES

Sizes shown in blue are available for Accelerated Production.

ITEM DESCRIPTION	DESIGNATION	ITEM #
Lift out Brackets (sold in pairs)	Pair	G-GL1
Lift out Bracket (sold individually)	Left	G-GL2L
Lift out Bracket (sold individually)	Right	G-GL2R




Left


Right

## DETAILS

LIFT OUT BRACKET  
Plan View




DIMENSION DETAIL  
Left bracket





**DETAILS**

PLAN VIEW



Connected with 5/16"Ø x 5 1/2"  
Carriage Bolt with Washer and  
T-nut Head Torq Socket

