




cogan.com

### EXAMPLE:

Typical 6'W x 8'H bi-parting sliding gate shown here.

Panel configuration and quantity will vary based on gate dimensions.

Assembly instructions are specific to the the size and material of your gate. See Installation Manual for complete



### **BI-PARTING SLIDING GATE**

### **Description**

Cogan bi-parting sliding gates are available in a similar range of convenient sizes as our sliding gates. Ideal for use in constricted areas. All bi-parting sliding gates are equipped with a padlock hasp. Additional lock options are also available. Doors are made of heavy-duty 16 GA corrugated steel framed in 1 1/4" x 1 1/4" x 12 GA structural angle.

## **PRODUCT INFORMATION**

#### **Specifications**

Door Heights	7' to 14'
Type of Door	Bi-Parting Sliding Gate
Door Stop	Attached to the right door.
Finish	Powder-coated
Materials	16GA Corrugated Sheet Metal
Frame Material	Structural Angle 1 1/4" x 1 1/4" x 12GA
Type of Closure	Padlock Hasp (Optional locks available)
Stiffening profile	None










cogan.com

### **SIZES**

Please consult the table below for a complete list of dimensions.







cogan.com

# **LOCK OPTIONS**

Below are the standard lock options for our partition security gates. Choose between a latch and key, or keys on both sides for added security. Panic bars are not available for bi-parting sliding gate.



