

# G201/G201T

## PERFORATED GOGGLE

**PART**

G201\*\*

G201T\*\*

**LENS** Clear Clear (Anti-Fog)

- Perforated, provides excellent ventilation.
- Lenses provide 99.9% protection against harmful UV rays.

**GENERAL SPECIFICATION**

Bridge: N/A

Lens Base: Flat

Lens Size Diagonal: 144mm

Lens Size Vertical: 68mm

Lens Thickness: 2.0mm

Overall Length (Lens-Tip): N/A

Overall Width (Hinge-Hinge): 200mm

PD: 68mm

Weight: 79gm

# G201/G201T

## PERFORATED GOGGLE

### PACKAGING

Polybag: 1pc

Inner Box: 12 pcs

Case: 144 pcs

COMPONENT	MATERIAL	FEATURES
Lens	Polycarbonate	Lens inset in PVC frame
Frame	PVC	Polyvinyl Chloride
Nose Piece	PVC	Integral to frame
Elastic Band	60% polyester 40% rubber thread	N/A

PART	LENS	LENS MARKING	FRAME MARKING
G201	 Clear	P +	P Z87 +
G201T	 Clear (Anti-Fog)	P +	P Z87 +

### LENS MARKING

#### Symbols:

P: Manufacturer's mark

Z87: ANSI standard for Eye and Face protection devices

+: High Impact

H: Small Head Size

S: Special Purpose

#### UV Filter Transmittance:

U2: Max Effective Far UV= .1% / Max Near UV= 3.7%

U2.5: Max Effective Far UV= .1% / Max Near UV= 2.3%

U3: Max Effective Far UV= .07% / Max Near UV= 1.4%

U4: Max Effective Far UV= .04% / Max Near UV= .5%

U5: Max Effective Far UV= .02% / Max Near UV= .2%

U6: Max Effective Far UV= .01% / Max Near UV= .1%

#### Visible Light Filters:

L1.3: 85% Max. Visible Light

L1.7: 55% Max. Visible Light

L2.5: 29% Max. Visible Light

L3: 18% Max. Visible Light

### FRAME MARKING

#### Symbols:

P: Manufacturer's mark

Z87: ANSI standard for Eye and Face protection devices

+: High Impact