

NITRILE DIPPED

TEAR



PUNCTURE



GL620C

HPPE | Nitrile | Micro-Foam



ANSI/ISEA 105-2016 - CUT A4 | ABRASION 6 | PUNCTURE 3 EN388 - ABRASION 4 | CUT X | TEAR 4 | PUNCTURE 2 | CUT TDM-100 D

Micro-foam nitrile coating on palm and fingers offers an excellent grip on dry or wet surfaces by channeling liquids away // 18 gauge PMXTECK HPPE cut-resistant liner delivers cool comfort for all-day wear // Reinforced thumb reduces stress in high-wear area // Stay connected with touchscreen capabilities // Glove design offers distinctive touch sensitivity // Knit cuff creates a snug fit to keep out debris

Suggested Applications

Assembly // Construction // Furniture Manufacturing // Handling Oily Parts // HVAC // Manufacturing // **General Purpose**

Glove Breakdown

Type: Dipped Glove
Material: Micro-Foam Nitrile
Outer Liner: 18 Gauge PMXTECK HPPE
Cuff: HPPE + Latex Elastic

A WARNING: Cancer and Reproductive Harm –P65Warnings.ca.gov This product contains components that may be a potential risk to allergic reactions (latex in the wrist cuff). Do not use in the event of hypersensitivity signs or a known allergy to latex.





EXPERIENCE A NEW LEVEL OF PROTECTION AND COMFORT WITH PMXTECK. Our unique plated knit technology for gloves creates an exterior built for durability and an interior so soft and smooth you'll forget you're wearing them. With PMXTECK, comfort and safety go hand in hand.

Packaging

		Outer Polybag	Case	Mada in China
	GL620C	12 Pair	120 Pair	Made in China

Product markings may vary // Updated as of 02.24

Glove Sizing

Small	Medium	Large	X-Large	2X-Large
7	8	9	10	11

All sizes comply with EN ISO 21420 for comfort, fit and dexterity. Only wear the correct size for your hand. Gloves that are too loose or too tight will restrict movement and will not provide the optimal level of protection.

PYRAMEX 🔌 🖬 🕶 🗢 🛛 🖓 🌤 🖄

P 800.736.8673 // F 901.861.4967 // W PYRAMEX.COM