



## **Chemstop™ NE250TRC**

Chemical resistant,  
extended cuff gloves that  
guard against heat up to  
204°C / 400°F

These heavy-duty neoprene gloves provide protection against a wide range of oil and chemicals that attack natural rubber gloves, including acids, caustics, oils and grease. They will also tolerate brief exposure to flame, hot water contact up to 204°C / 400°F and feature ANSI Level 3 heat resistance. Terry lining and extended cuffs

provide further protection from thermal contact while diamond-grip finished palms ensure a strong, steady grip.



## DETAILS

### PRODUCT FEATURES

- Resists a wide range of oils, chemicals, acids, caustics and grease
- Good for hot/cold liquid applications; intermittent contact up to 204°C / 400°F. The time to pain at 200° C / 392°F is 16 seconds
- ANSI Level 3 heat resistance
- Diamond-grip finished palms provide a strong, steady grip
- Acrylic terry lining protects hands against thermal contact

### APPLICATIONS

FOOD PROCESSING, OIL & GAS, PETROCHEMICAL

### RECOMMENDED FOR

FOOD SERVICE, MATERIAL HANDLING, OIL REFINERY, PETROCHEMICAL

## SPECS

### SPECIFICATIONS

<b>PRODUCT ID</b>	NE250TRC	<b>MATERIAL</b>	None
<b>CE CERTIFICATION CODE</b>	None	<b>MADE IN</b>	Malaysia
<b>SIZES</b>	7, 8, 9, 10, 11	<b>INSTRUCTIONS</b>	Wash & Tumble Dry
<b>LADIES SIZES</b>	None	<b>CUFF LENGTH</b>	Shoulder
<b>CUFF STYLE</b>	Shoulder		
<b>GAUGE</b>	None		
<b>PALM COATING</b>	Neoprene		
<b>DIP TYPE</b>	None		

## SHIPPING AND PACKAGING

<b>UNSPSC CODE</b>	None	<b>COUNTRY OF ORIGIN</b>	Malaysia
<b>SHIP PACK QUANTITY</b>	1	<b>SKID QUANTITY</b>	32
<b>WEIGHT (LB)</b>	19.6	<b>CASE DIMENSIONS (IN)</b>	29.25x14x10
<b>UNIT OF MEASURE</b>	Pair		

## HAZARD PROTECTIONS

<b>ABRASION</b>	ANSI Level 4	<b>CRUSH</b>	None
<b>ARC FLASH</b>	None	<b>CUT</b>	None
<b>CHEMICAL</b>	Chemical	<b>HEAT</b>	ANSI Level 3 (200°C or 392°F)
<b>COLD</b>	None	<b>FLAME</b>	None
<b>IMPACT</b>	None		
<b>VIBRATION</b>	None		
<b>PUNCTURE (PROBE)</b>	ANSI Level 3		
<b>PUNCTURE (HYPODERMIC NEEDLE)</b>	None		

## FEATURES AND TECH

<b>ANTI-MICROBIAL</b>	None	<b>FDA COMPLIANT</b>	None
<b>BIODEGRADABLE</b>	None	<b>HIGH VISIBILITY</b>	None
<b>CFIA COMPLIANT</b>	None	<b>LATEX FREE</b>	None
<b>CLEANROOM FRIENDLY</b>	None	<b>LOW-LINTING</b>	None
<b>CRUSH RESISTANT FINGERCAPS (FINGERTIPS ONLY)</b>	None	<b>MADE IN AMERICAS</b>	None
<b>DISPOSABLE</b>	None	<b>MADE IN CANADA</b>	None
<b>DOUBLE PALM</b>	None	<b>NON-MARRING</b>	None
<b>ESD/ ANTI-STATIC</b>	None	<b>OIL/WATER REPELLANT (TREATMENT)</b>	None
<b>EXTENDED SIZES</b>	None	<b>REINFORCED THUMB CROTCH</b>	None
<b>SILICONE FREE</b>	None		
<b>TOUCHSCREEN FRIENDLY</b>	None		


<b>UKCA / CE CERTIFIED</b>	None
<b>VEND PACK</b>	None
<b>WATER RESISTANT (MATERIAL)</b>	Yes
<b>WATERPROOF</b>	Yes
<b>WELDING</b>	None

## FIT & SIZING

A proper fit is extremely important. An uncomfortable fit causes hand fatigue and ultimately could lead to a potential workplace hazard.

Measure the width of your hand from the base of your first finger and across your knuckles.

SIZE	WIDTH (MM)	WIDTH (IN)
● 5 / 2XS	50 MM	2 IN
● 6 / XS	63 MM	2.5 IN
● 7 / S	75 MM	3 IN
● 8 / M	88 MM	3.5 IN
● 9 / L	101 MM	4 IN
● 10 / XL	113 MM	4.5 IN
● 11 / 2XL	126 MM	5 IN
● 12 / 3XL	140 MM	5.5 IN



**Request a Sample of This Product on  
SuperiorGlove.com**

**OR EMAIL US AT  
BUSINESS.DEVELOPMENT@SUPERIORGLOVE.COM**



---

Copyright © 2021 Superior Glove. All Rights Reserved.

[Privacy Policy](#)[Accessibility](#)[Accessibility Request Form](#)