

A NEW GENERATION
OF DISINFECTION

pure
HARD SURFACE

ELIMINATES HUMAN CORONAVIRUS IN 30 SECONDS

STOP THE HUMAN CORONAVIRUS
BEFORE IT STOPS YOU

Disinfect with PURE Hard Surface

Protect employees and customers

**Eliminates Human Coronavirus
in 30 Seconds**

Ideal for healthcare facilities, schools,
offices, breakrooms, hotels, restrooms,
mass transit & more.



ACTIVE INGREDIENTS
SILVER¹ 0.003%
CITRIC ACID 4.846%
OTHER INGREDIENTS 95.151%
TOTAL 100.000%

¹Electrolytically generated silver ions stabilized
in citric acid as silver dihydrogen citrate
EPA REG. No. 72977-5-73912
EPA EST. No. 72977-CA-001

Net Contents 1 QT
(32 FL OZ) 946 ML

KEEP OUT OF REACH
OF CHILDREN

KILLS GERMS IN 30 SECONDS*

- Fast Kill Times
- 24-Hour Protection
- EPA Lowest Toxicity: Category IV
- Odorless, Non-irritating,
Non-corrosive, Non-flammable
- Convenient Ready-to-Use Formula





Disinfectant ~ Fungicide, Virucide and High Contact Sanitizer
with SDC (Silver Dihydrogen Citrate)

- Protect your customers, visitors and employees with a high contact surface disinfectant.
- Great for public areas such as offices, break-rooms, hotel rooms/lobbies, restrooms, conference rooms, retail, mass transit, etc.

Instructions for Use

1. Spray on hard non-porous surface.
2. Let sit for 30 seconds to eliminate Human Coronavirus. Let sit 2 minutes to eliminate other organisms. (See label for efficacy claims and dwell times)*
3. Wipe well until dry with a clean cloth or a clean microfiber cloth.

- **SDC (Silver Dihydrogen Citrate) is the first new molecule recognized by the EPA in 30 years**
- **Kills germs in 30 seconds**
- **Germ killing residual up to 24 hours**
- **No Hazard or Caution warnings on label**
- **Assigned Lowest Toxicity category by the U.S. EPA (Level IV)**



ORGANISM KILL TIME

	*Contact Time
‡Pseudomonas aeruginosa	30 seconds
‡ Salmonella enterica.....	30 seconds
‡*HIV type 1	30 seconds
‡*Rotavirus	30 seconds
‡*Human Coronavirus	30 seconds
‡*Influenza A (H1N1) • ‡*Swine Influenza A (H1N1)	30 seconds
‡*Respiratory Syncytial Virus	30 seconds
‡*Adenovirus Type 2	30 seconds
‡*Flu. Influenza A • ‡*Avian Influenza A	30 seconds
*Hepatitis B Virus (HBV)	60 seconds
*Hepatitis C Virus (HCV)	60 seconds
*Norovirus • *Murine Norovirus	60 seconds
*Herpes Simplex Type 1	60 seconds
*Rhinovirus	60 seconds
*Polio Type 2	60 seconds
Staph. Staphylococcus aureus.....	2 minutes
Listeria.Listeria monocytogenes.....	2 minutes
Vancomycin resistant Enterococcus faecium (VRE)	2 minutes
(MRSA) Methicillin resistant Staphylococcus aureus	2 minutes
Community Associated Methicillin resistant Staphylococcus aureus (CA-MRSA)	2 minutes
Community Associated Methicillin resistant Staphylococcus aureus (CA-MRSA-PVL).....	2 minutes
Escherichia coli O157:H7.....	2 minutes
Campylobacter jejuni.....	2 minutes
Carbapenem resistant Escherichia coli.....	2 minutes
Carbapenem resistant Klebsiella pneumoniae.....	2 minutes
Carbapenem resistant Klebsiella pneumoniae, NDM-1 +.....	2 minutes

*Contact times based upon EPA Stamped label dated August 3, 2011

*** Norovirus is the leading cause of infection outbreaks in U.S. hospitals according to a new published article in February issue of AJIC.**

*** Rotavirus is the most common cause of diarrhea in infants and young children. (American Academy of Pediatrics)**

High Touch Areas Protocol - Bathrooms



Remember to disinfect high-touch areas!

Bathrooms:

- Light Switches
- Toilet Paper Dispensers
- Flush Handles
- Toilet Seats
- Sink Tops
- Sinks
- Water Spouts
- Soap Dispensers
- Paper Towel Dispensers
- Door Handles



For optimum results wet the surface for 2 minutes and then wipe. (To avoid cross-contamination change or dispose of wipe after each area.)

For more information or a **FREE** sample, please contact your PURE sales representative.

Call us at: 314.771.6600

Visit us at:
www.interconchemical.com

PURE Hard Surface Disinfectant, Fungicide, Virucide and Food Contact Surface Sanitizer

- Kills in 30 Seconds*
- 24 Hour Protection*
- EPA Toxicity Level IV. Ideal for use around Patients, Children. Meets OSHA Bloodborne Pathogen Standards

- Effective against Human Coronavirus and multiple drug resistant organisms such as Norovirus, CRE and MRSE.

**Refer to label*

pure
HARD SURFACE

High Touch Areas Protocol - Self Check Outs



Remember to disinfect high-touch areas!

Self Check Outs:

- Touch Screens
- Credit Card Readers
- Scanners
- Counter Tops
- Grocery Bags
- Bagging Areas



For optimum results wet the surface for 2 minutes and then wipe. (To avoid cross-contamination change or dispose of wipe after each area.)

For more information or a **FREE** sample, please contact your PURE sales representative.

Call us at: 314.771.6600

Visit us at:

www.interconchemical.com

PURE Hard Surface Disinfectant, Fungicide, Virucide and Food Contact Surface Sanitizer

- Kills in 30 Seconds*
- 24 Hour Protection*
- EPA Toxicity Level IV. Ideal for use around Patients, Children. Meets OSHA Bloodborne Pathogen Standards

- Effective against Human Coronavirus and multiple drug resistant organisms such as Norovirus, CRE and MRSE.

**Refer to label*

pure
HARD SURFACE