

## Universal Spill Kit Kaddie #SPKU-KAD2 - Absorbs up to 27.7 Gallons



Be prepared for fast response with a SpillTech® Universal Spill Kit!

- Roll quickly to any spill with a fully-stocked Spill Kit
- SpillTech Absorbents are easily accessible from wide doors
- Features a rear step and ergonomic handle that makes it easy to roll Kit to the spill
- Tip-back design and tough wheels allows Kit to maneuver effortlessly throughout your facility, even through doorways
- Hi-viz yellow makes Kaddie easy to see in any environment
- Packed with Universal absorbents to soak up oils, coolants, solvents and water

## SPKU-KAD2 Specifications

<b>Dimensions:</b>	23.5" W x 24" L x 38" H
<b>Shipping</b>	24.5" W x 23.5" L x 40" H
<b>Dimensions:</b>	
<b>Sold as:</b>	1 per package
<b>Absorbency:</b>	Up to 27.7 gal. per package
<b>Weight:</b>	59.66 lbs.
<b># per Pallet:</b>	8
<b>Incinerable:</b>	No
<b>Ship Class:</b>	175
<b>Includes:</b>	100 - 10" x 14" Gray Universal HeavyWeight FineFiber Pads (GPF1014H) 6 - 3" x 4' Gray Universal Sorbent Socks (GSO430) 4 - 8" x 18" Gray Universal Sorbent Pillows (GPIL818) 1 - 6" Glow Light Stick (A-LIGHTSTICKS) 1 - Emergency Response GuideBook (A-EGB) 5 - 18" X 30" Yellow Disposal Bags & Ties (A-DISP BAG-SM) 2 - Pair Nitrile Gloves (A-GLV-NIT) 1 - Safety Goggles (A-GOG) 1 - 3" x 5" Vinyl Spill Kit Label (A-KITLABEL) 6 - 6" x 2" TamperProof Seals (A-SEAL) 1 - Yellow Kaddie (A-KADDIE2) 1 - 7" Epoxy Stick (A-EPOXY)

## Metric Equivalent Specifications

<b>Dimensions:</b>	60cm W x 61cm L x 97cm H
<b>Shipping</b>	62cm W x 60cm L x 102cm H
<b>Dimensions:</b>	
<b>Absorbency:</b>	Up to 104.8 L per package
<b>Weight:</b>	27.1 kg



**SpillTech**

Online:  
[spilltech.com](http://spilltech.com)

Phone:  
**1-800-228-3877 (N.Am.)**  
**1-770-475-3877 (Other)**

Fax:  
**1-800-872-3764 (N.Am.)**  
**1-770-410-1812 (Other)**

Email:  
[sales@spilltech.com](mailto:sales@spilltech.com)

## SPKU-KAD2 Technical Information

### Warnings & Restrictions:

There are no known warnings and restrictions for this product.

### Regulations and Compliance:

49 CFR 173.3(c)(1) - If a container of hazardous waste is damaged or leaking, it can be placed in a compatible salvage drum that meets UN criteria for shipping

40 CFR 263.31 - Transporters, "must clean up any hazardous waste discharge that occurs during transportation...so that the hazardous waste discharge no longer presents a hazard to human health or the environment."

40 CFR 263.30(a) - In the event of a spill, transporters must, "take appropriate immediate action to protect human health and the environment."

29 CFR 1910.1450(e) - OSHA requires containment and cleanup materials for spills in laboratories to reduce occupational exposure to hazardous chemicals.

29 CFR 1910.120(j)(1) - Under an OSHA requirement, "DOT-specified salvage drums or containers and suitable quantities of proper absorbents shall be kept available and used in areas where spills, leaks, or ruptures may occur."

### Technical Documents:

(Available at [spilltech.com](http://spilltech.com))

Product Data Sheet (PDS)



**SpillTech**

Online:  
[spilltech.com](http://spilltech.com)

Phone:  
**1-800-228-3877 (N.Am.)**  
**1-770-475-3877 (Other)**

Fax:  
**1-800-872-3764 (N.Am.)**  
**1-770-410-1812 (Other)**

Email:  
[sales@spilltech.com](mailto:sales@spilltech.com)