



**MCR
SAFETY**

90752

**Dipped
Specification Sheet**

PRODUCT DESCRIPTION:

The next level protection of DSM's Black Dyneema® Diamond Technology is the first high performance fiber in the market that delivers high levels of cut protection without steel or glass fiber reinforcements. This means maximum protection without the discomfort of steel fibers, as well as the brittleness and short protection lifespan of glass fibers. Black Dyneema® Diamond Technology provides all day comfort and radiates heat away from the hands, keeping hands cool. The color is embedded into the fibers, staying rich throughout the lifetime of the products made with Black Dyneema® Diamond Technology. The Black Dyneema® Diamond Technology is launderable allowing longer use. The 90752 is a 15 gauge Black Dyneema® Diamond Technology shell with a black PU (polyurethane) coated palm and fingers.



FEATURES:

- 15 gauge black DSM Dyneema® Diamond Technology
- Black sandy foam nitrile coated palm and fingers

APPLICATIONS:

Automotive Assembly, Farming, Landscaping, Carpentry, Glass handling, HVAC, Sheet metal industry, Roofing

TECHNICAL DATA FOR: 90752

Product Type	Dipped	ANSI Cut	ANSI Cut A3
Glove Size	Large	ANSI Puncture	ANSI Puncture 3
Gauge	15 Gauge	ANSI Abrasion	ANSI Abrasion 5
Material	DiamondTech		
Lining	Diamond Tech		
Made In	China,Pakistan		

MCR Safety - 1255 Schilling Blvd. W. - Collierville, TN 38017 - USA

Phone: 901-795-5810 - Toll Free: 800-955-6887 - Fax: 800-999-3908 - Web: www.mcrcsafety.com

©2019 MCR Safety - All Rights Reserved



MCR
SAFETY

90752

Dipped
Specification Sheet



Item No:	Size:	A:	B:	C:	Case Weight	UOM Weight
90752S	Small	0	0	N/A	18.144 lb.	0.126
90752M	Medium	0	0	N/A	20.448 lb.	0.142
90752L	Large	0	0	N/A	21.312 lb.	0.148
90752XL	X - Large	0	0	N/A	23.616 lb.	0.164
90752XXL	XX - Large	0	0	N/A	24.912 lb.	0.173

MCR Safety - 1255 Schilling Blvd. W. - Collierville, TN 38017 - USA

Phone: 901-795-5810 - Toll Free: 800-955-6887 - Fax: 800-999-3908 - Web: www.mcrcsafety.com

©2019 MCR Safety - All Rights Reserved