



**MCR**  
SAFETY

# 9690

## Flex Tuff

### Dipped

### Specification Sheet

**PRODUCT DESCRIPTION:**

Flex Therm options give you all of the benefits of our Flex Tuff series of gloves, but with the addition of Thermal protection! The 9690 is made of a an acrylic/polyester/cotton string knit shell with a gray latex palm coating. With these gloves you can get a grip on staying warm!

**FEATURES:**

- Extra thermal protection
- High comfort level
- Allows manual dexterity
- For heavier duty requirements

**APPLICATIONS:**

Cold storage applications, Commercial fishing, Frozen food packaging, Carpentry, Construction, Landscaping, Mechanics



**TECHNICAL DATA FOR: 9690**

<b>Series</b>	Flex Tuff
<b>Material Group</b>	Strings
<b>Product Type</b>	Dipped
<b>Glove Size</b>	Large
<b>Gauge</b>	10 Gauge
<b>Material</b>	Cotton / Polyester / Acrylic
<b>Insulated</b>	Insulated

<b>EN 388 : CE Score - Abrasion</b>	2
<b>EN 388 : CE Score - Cut</b>	2
<b>EN 388 : CE Score - Tear</b>	4
<b>EN 388 : CE Score - Puncture</b>	1
<b>ANSI Cut</b>	ANSI Cut A3
<b>ANSI Puncture</b>	ANSI Puncture 3
<b>ANSI Abrasion</b>	ANSI Abrasion 4
<b>ANSI Contact Heat</b>	Level 2 (Applications less than 284 degrees F)

**Made In** China, Mexico, Malaysia

MCR Safety - 1255 Schilling Blvd. W. - Collierville, TN 38017 - USA


Phone: 901-795-5810 - Toll Free: 800-955-6887 - Fax: 800-999-3908 - Web: [www.mcrcsafety.com](http://www.mcrcsafety.com)

©2019 MCR Safety - All Rights Reserved



**MCR**  
SAFETY

**9690**  
**Flex Tuff**  
**Dipped**  
**Specification Sheet**



Item No:	Size:	A:	B:	C:	Case Weight	UOM Weight
9690M	Medium	10.55	3.74	3.62	19.878 lb.	3.313
9690XL	X - Large	11.11	3.94	3.74	24.732 lb.	4.122
9690S	Small	10.31	3.54	3.62	21.096 lb.	3.516
9690L	Large	10.79	3.86	3.62	21.540 lb.	3.590

MCR Safety - 1255 Schilling Blvd. W. - Collierville, TN 38017 - USA

Phone: 901-795-5810 - Toll Free: 800-955-6887 - Fax: 800-999-3908 - Web: [www.mcrcsafety.com](http://www.mcrcsafety.com)

©2019 MCR Safety - All Rights Reserved