

## Oil-Only Contractor Grade Sock/Net Boom #WB510SN - 5" x 10', 4 booms/package



Take control of outdoor spill response with Oil-Only Booms.

- Poly-blend filler repels water while only absorbing oil and other hydrocarbons
- Connectors link booms together to create a containment system big enough to handle almost any spill size
- Provides quick, efficient cleanup to help protect the environment from contaminants; suited for short-term use
- Filler color may vary. Color has no effect on performance. However, if you would prefer all white filler, please see our Premium Boom line under item numbers PREM510 (5" x 10'&rsquo;) and PREM810 (8" x 10'&rsquo;)
- UPS does not allow this item to ship in bag pkg&rsquo;ing. Therefore, we must BOX any UPS orders at an additional cost of \$4.50/per box. This is ONLY for UPS shipments. This does not affect LTL/palletized shipments of this item.

### WB510SN Specifications

<b>Dimensions:</b>	ext. dia. 5" x 10' L
<b>Shipping Dimensions:</b>	20" W x 23" L x 20" H
<b>Sold as:</b>	4 booms per package
<b>Color:</b>	May vary
<b>Composition:</b>	Poly Blend Filler/Polyester Netting/Metal Hardware
<b>Recycled Content:</b>	100% Post-Industrial Recycled Poly Blend Filler
<b>Absorbency:</b>	Up to 30 gal. per package
<b>Absorbency per:</b>	Up to 7.5 gal. per boom
<b>Weight:</b>	22 lbs.
<b># per Pallet:</b>	20
<b>Incinerable:</b>	Yes
<b>Ship Class:</b>	175

### Metric Equivalent Specifications

<b>Dimensions:</b>	ext. dia. 13cm x 3m L
<b>Shipping Dimensions:</b>	51cm W x 58cm L x 51cm H
<b>Absorbency:</b>	Up to 113.6 L per package
<b>Absorbency per:</b>	Up to 28.4 L per boom
<b>Weight:</b>	10 kg

## WB510SN Technical Information

### Warnings & Restrictions:

Color Variance Notice  
Color may vary.

### Regulations and Compliance:

40 CFR 263.31 - Transporters, "must clean up any hazardous waste discharge that occurs during transportation presents a hazard to human health or the environment."

40 CFR 122.26 - Facilities must have a detailed plan in place to prevent illegal discharge of pollutants into waterways.

40 CFR 112.7(c)(1) - Facilities must have "appropriate containment and/or diversionary structures to prevent discharge oil from reaching a navigable water course."

33 CFR 154.1047(c)(2) - Concerning navigation and navigable waters, a facility which handles, stores or transports Group V petroleum oils must identify response plan resources such as containment booms and other methods.

### Technical Documents:

(Available at [spilltech.com](http://spilltech.com))

Product Data Sheet (PDS)

Safety Data Sheet (SDS)



Online:  
[spilltech.com](http://spilltech.com)

Phone:  
**1-800-228-3877 (N.Am.)**  
**1-770-475-3877 (Other)**

Fax:  
**1-800-872-3764 (N.Am.)**  
**1-770-410-1812 (Other)**

Email:  
[sales@spilltech.com](mailto:sales@spilltech.com)