

Ceros® XP450AE Comfortable, premium safety helmet

It's time to expect more from your head protection. Engineered to raise industry standards in comfort and fit, the HexArmor® Ceros® family of safety helmets brings you a technologically advanced safety helmet for all workers, with configurations for any industry or application that require a Type I Class C and Class E safety helmet. Ceros® – for compliance without compromise.



XP450AE

Non-Vented Class E

- Removable four-point chin strap
- Type 1, Class E, LT
- Sizes 6 ³/₈ – 8
- Helmet shell is fully enclosed, making it suitable for electrical work

Colors available:



Standards
ANSI Z89.1
CE EN397

HexArmor®

Engineered in Germany  Assembled in USA 

Ceros[®] XP450AE

Comfortable, premium safety helmet

Front



Back



AirBridge[®] suspension system

Pre-assembled into the safety helmet so you can unpack and start wearing immediately, saving you time and frustration

Straps are ultrasonically welded, eliminating the discomfort and weakness typical of traditional stitching

SwiftLock[™] one-hand-turn wheel ratchet is padded for comfort and easy size adjustment




Premium, moisture-resistant, removable sweatband that extends from ear-to-ear

Standard six-point AirBridge[®] suspension system ensures optimal comfort and fit

Click-and-Go® magnetic or mechanical accessories

Balanced, nested accessories keep ergonomics at the forefront for less fatigue and strain



Click-and-Go® magnetic or mechanical accessories[Ⓐ] are available for quick and convenient compatibility

Hearing protection[Ⓐ] with attachment options and varying levels of protection to accommodate different noise levels

Face shield with TruShield® scratch-resistant, anti-fog coating provides total protection, visual clarity and a closer fit

[Ⓐ]Warning: earmuffs are not dielectric

Ceros® XP450AE

Accessories

XP Click-and-Go® magnetic face shield kit 17-13001

Includes: Magnetic helmet adapter



XP mechanical face shield kit 17-12001

Includes: Mechanical helmet adapter



XP sun glare/rain cover 17-22001

For use with both mechanical and magnetic face shields



XP rain plug kit 17-24001



XP goggle clip 17-21001



K1C earmuffs (slot adapted) 17-15001
22 dB NRR



K2C earmuffs (slot adapted) 17-16001
25 dB NRR



K1M earmuffs 17-17001 *limited quantities available*
22 dB NRR
Compatible with mechanical face shield



K1M magnet earmuffs 17-18001 *limited quantities available*
21 dB NRR
Compatible with magnetic face shield



K2M earmuffs 17-17002
25 dB NRR
Compatible with mechanical face shield



K2M Magnet earmuffs 17-18002
24 dB NRR
Compatible with magnetic face shield



ColdRush® cooling safety helmet insert 6003



XP short brim HexShade® UV by SnapBrim™ 17-50002



XP reflective sticker set
silver: 17-23001
hi-vis: 17-23002



note: stickers do not come applied to helmet

Replacement Accessories

XP AirBridge® suspension system 17-19001



IES AirBridge® suspension system 17-19002



XP sweatband 17-20001



XP SwiftLock™ wheel ratchet padding 17-25001



XP 4-point chin strap 17-11001



Face shield window 17-27001

For use with both mechanical and Click-and-Go® magnetic face shield kit



Click-and-Go® magnetic helmet adapter 17-26001

For use with the Click-and-Go® magnetic face shield for XP helmets



Earmuff hygiene kit type 1 17-28001

Replacement pads available for lasting comfort and hygienic use



Earmuff hygiene kit type 2 17-29001

Replacement pads available for lasting comfort and hygienic use



⚠Warning: earmuffs are not dielectric

HexArmor®

Call 1-877-MY ARMOR or visit hexarmor.com

Protective devices do not provide unlimited protection. Some operations may require machine guards, face shields, special filter lenses, or other safety equipment. Safety helmets do not provide complete protection against hazards, and should only be used in conjunction with the prescribed safety equipment for the application as well as defined safety practices.

*The top four competitive North American helmets were compared in testing.

Engineered in Germany Assembled in USA